


RAINSCREEN SYSTEMS


DRAWING REGISTER			
PAGE	DETAIL DESCRIPTION	DETAIL #	REV.
00/16	COVER PAGE	00	NOV 22
01/16	CAVITY SET OUT	01	NOV 22
02/16	SCHEMATIC	02	NOV 22
03/16	VERTICAL PANEL JOINT DETAIL (PLAN VIEW)	03	NOV 22
04/16	BRICKWALL ABUTMENT DETAIL (PLAN VIEW)	04	NOV 22
05/16	INTERNAL CORNER PANEL DETAIL (PLAN VIEW)	05	NOV 22
06/16	EXTERNAL CORNER PANEL DETAIL (PLAN VIEW)	06	NOV 22
07/16	WINDOW JAMB DETAIL (PLAN VIEW)	07	NOV 22
08/16	DOOR JAMB DETAIL (PLAN VIEW)	08	NOV 22
09/16	CONCRETE WALL ABUTMENT DETAIL (PLAN VIEW)	09	NOV 22
10/16	HORIZONTAL PANEL JOINT DETAIL (SECTION VIEW)	10	NOV 22
11/16	PARAPET FLASHING DETAIL (SECTION VIEW)	11	NOV 22
12/16	WINDOW HEAD DETAIL (SECTION VIEW)	12	NOV 22
13/16	DOOR HEAD DETAIL (SECTION VIEW)	13	NOV 22
14/16	WINDOW SILL DETAIL (SECTION VIEW)	14	NOV 22
15/16	BRICKWALL AT BASE DRIP DETAIL (SECTION VIEW)	15	NOV 22
16/16	PLANK LIST	16	NOV 22



www.insitefacades.co

RAINSCREEN SYSTEMS

EN01 - ADJUSTABLE SYSTEM CAVITY



BESPOKE OPTIONS AVAILABLE FOR PROJECT SPECIFIC REQUIREMENTS



P: +64 9 307 1529 www.insitefacades.

101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND

EXP-V-EN01-S	01	
E N C L A D TM	RAINSCREEM	SYSTEMS

System # :

01

Scale @ A3 : 1:2.5

Detail # :

Rev.: NOV 2022

Detail Description : CAVITY SETOUT (PLAN VIEW)

Support System : **ENCLAD™ EN01 - SECRET FIXED**

ENCLAD[™] EXTRUDED ALUMINIUM PLANKS · **VERTICALLY LAID**

Cladding Type :

С INSULATION * 50mm INSULATION (OPTION BY INSITE) D FIRE STOP (OPTION BY INSITE) OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 95mm SYSTEM CAVITY FOR 75mm THICK INSULATION 120mm SYSTEM CAVITY FOR 100mm THICK INSULATION


LEGEND ENCLADTM EXTRUDED ALUMINIUM PLANKS А В 20mm - 25mm NOMINAL VENTILATION ZONE (AIR GAP) * 75mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK

OPYRIGHT : THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COP FINSITE FACADES LTD. YRIGHT THEREIN REMAIN THE PROPERT' DISCLAIMER : THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VAR DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR ENSURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR ENSURING BUILDING WRAPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NZEC REGULATIONS. REFER TO INSULATION WEST FOR FULL TERMS AND CONDITIONS.


Thermosash
















101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND

P: +64 9 307 1529

www.insitefacades.co.n

ENCLAD [™] RAINSCREEM	N SYSTEMS		
EXP-V-EN01-SF1	03		
System # :	Detail # :		
Scale @ A3 : 1:2	Rev.: NOV 2022		
Detail Description : VERTICAL PANEL JOINT DETAIL (PLAN VIEW)			

Support System : **ENCLAD™ EN01 - SECRET FIXED**

ENCLAD[™] EXTRUDED ALUMINIUM PLANKS · **VERTICALLY LAID**

Cladding Type :

ENCLADTM EXTRUDED ALUMINIUM PLANKS А В 20mm - 25mm NOMINAL VENTILATION ZONE (AIR GAP) * 75mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK С INSULATION * 50mm INSULATION (OPTION BY INSITE) D FIRE STOP (OPTION BY INSITE) OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 95mm SYSTEM CAVITY FOR 75mm THICK INSULATION 120mm SYSTEM CAVITY FOR 100mm THICK INSULATION * PARTS LIST ENCLADTM EXTRUDED ALUMINIUM PLANKS 1 2 ENCLAD EN01 ALUMINIUM SUPPORT PROFILE ENCLAD EN01 ALUMINIUM HELPING HAND BRACKET 3 ENCLAD PANEL FIXING (STAINLESS STEEL) Δ 5 ENCLAD BRACKET TO RAIL FIXING (STAINLESS STEEL) 6 ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL) 7 ENCLAD THERMAL ISOLATION PAD CAVITY INSULATION (OPTION BY INSITE) 9 BUILDING WRAP / MEMBRANE (OPTION BY INSITE) 10 RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE) 11 WALL INSULATION (BY OTHERS) 12 PLASTER BOARD (BY OTHERS)

COPYRIGHT : THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD. DISCLAIMER : THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VAR' DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR ENSURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CLAUGES. THE DESIGNER IS RESPONSIBLE FOR ENSURING BUILDING WRAPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NZEC REGULATIONS. REFER TO INSULATION WESTER FOR HULT TERMS AND CONDITIONS.

LEGEND


Thermosash





PART OF THE THERMOSASH GROUP COMPANIES

Y












COPYRIGHT : THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.

DISCLAIMER : THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR ENSURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RISURING BUILDING WRAPS, FIRSTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NZBC REGULATIONS. REFER TO INSITE WEBSITE FOR FULL TERMS AND CONDITIONS.

NZBC REC	NZBC REGULATIONS. REFER TO INSITE WEBSITE FOR FULL TERMS AND CONDITIONS.			
LEGEND				
Α	ENCLAD TM EXTRUDED ALUMINIUM PLANKS			
В	20mm - 25mm NOMINAL VENTILATION ZONE (AIR GAP)			
с	* 75mm SYSTEM CAVITY TO ACCOMMODATI INSULATION	E 50mm THICK		
D	* 50mm INSULATION (OPTION BY INSITE) FIRE STOP (OPTION BY INSITE)			
*	OTHER OPTIONS AVAILABLE (PROJECT SPECI 95mm SYSTEM CAVITY FOR 75mm THICK IN 120mm SYSTEM CAVITY FOR 100mm THICK I	SULATION		
	PARTS LIST			
1	ENCLAD [™] EXTRUDED ALUMINIUM PLANKS			
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFIL	E		
3	ENCLAD EN01 ALUMINIUM HELPING HAND I	BRACKET		
4	ENCLAD PANEL FIXING (STAINLESS STEEL)			
5	ENCLAD BRACKET TO RAIL FIXING (STAINLES	S STEEL)		
6	ENCLAD HOST STRUCTURAL FIXING (STAINL	ESS STEEL)		
7	ENCLAD THERMAL ISOLATION PAD			
8	CAVITY INSULATION (OPTION BY INSITE)			
9	BUILDING WRAP / MEMBRANE (OPTION BY I	NSITE)		
10	RIGID AIR BARRIER / SHEATHING BOARD (OP			
11	WALL INSULATION (BY OTHERS)			
11	PLASTER BOARD (BY OTHERS)			
12	FLASTER BOARD (BT OTTERS)			
Cladding Type : ENCLAD [™] EXTRUDED ALUMINIUM PLANKS - VERTICALLY LAID Support System : ENCLAD [™] EN01 - SECRET FIXED				
Detail Description : BRICKWALL ABUTMENT DETAIL (PLAN VIEW)				
Scal	e @ A3 : 1:2	Rev.: NOV 2022		
Syst	em # :	Detail # :		
EXF	P-V-EN01-SF1	04		
EN	CLAD [™] RAINSCREE	N SYSTEMS		
16		101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND		
		P: +64 9 307 1529 www.insitefacades.co.nz		
-				












COPYRIGHT : THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.

DISCLAIMER : THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR ENSURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RISURING BUILDING WRAPS, FIRSTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NZBC REGULATIONS. REFER TO INSITE WEBSITE FOR FULL TERMS AND CONDITIONS.

NZBC REGULATIONS. REFER TO INSITE WEBSITE FOR FULL TERMS AND CONDITIONS.		
	LEGEND	
A	ENCLAD TM EXTRUDED ALUMINIUM PLANKS	
В	20mm - 25mm NOMINAL VENTILATION ZONE (AIR GAP)	
с	* 75mm SYSTEM CAVITY TO ACCOMMODATE INSULATION	50mm THICK
D	* 50mm INSULATION (OPTION BY INSITE) FIRE STOP (OPTION BY INSITE)	
*	OTHER OPTIONS AVAILABLE (PROJECT SPECI 95mm SYSTEM CAVITY FOR 75mm THICK INS 120mm SYSTEM CAVITY FOR 100mm THICK II	ULATION
	PARTS LIST	
1	ENCLAD TM EXTRUDED ALUMINIUM PLANKS	
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFIL	E
3	ENCLAD EN01 ALUMINIUM HELPING HAND E	RACKET
4	ENCLAD PANEL FIXING (STAINLESS STEEL)	
5	ENCLAD BRACKET TO RAIL FIXING (STAINLES	S STEEL)
6	ENCLAD HOST STRUCTURAL FIXING (STAINLE	SS STEEL)
7	ENCLAD THERMAL ISOLATION PAD	,
, 8	CAVITY INSULATION (OPTION BY INSITE)	
9	BUILDING WRAP / MEMBRANE (OPTION BY I	
10	RIGID AIR BARRIER / SHEATHING BOARD (OP	,
10	WALL INSULATION (BY OTHERS)	
	PLASTER BOARD (BY OTHERS)	
12	PLASIER BOARD (BI OTHERS)	
Cladding Type : ENCLAD [™] EXTRUDED ALUMINIUM PLANKS - VERTICALLY LAID Support System : ENCLAD [™] EN01 - SECRET FIXED		
Detail Description : INTERNAL CORNER PANEL DETAIL (PLAN VIEW)		
Scale	e @ A3 : 1:2.5	Rev.: NOV 2022
Syst	em # :	Detail # :
-	P-V-EN01-SF1	05
EN	CLAD [™] RAINSCREEI	N SYSTEMS
Ir		LOI STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND
		P: +64 9 307 1529 www.insitefacades.co.nz












COPYRIGHT : THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.

DISCLAIMER : THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR ENSURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RISURING BUILDING WRAPS, FIRSTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NZBC REGULATIONS. REFER TO INSITE WEBSITE FOR FULL TERMS AND CONDITIONS.

NZBC REGULATIONS. REFER TO INSITE WEBSITE FOR FULL TERMS AND CONDITIONS.		
	LEGEND	
А	ENCLAD TM EXTRUDED ALUMINIUM PLANKS	
В	20mm - 25mm NOMINAL VENTILATION ZONE (AIR GAP)	
с	* 75mm SYSTEM CAVITY TO ACCOMMODAT INSULATION	E 50mm THICK
D	* 50mm INSULATION (OPTION BY INSITE) FIRE STOP (OPTION BY INSITE)	
*	OTHER OPTIONS AVAILABLE (PROJECT SPEC 95mm SYSTEM CAVITY FOR 75mm THICK IN 120mm SYSTEM CAVITY FOR 100mm THICK I	SULATION
	PARTS LIST	
1	ENCLAD TM EXTRUDED ALUMINIUM PLANKS	
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFIL	E
3	ENCLAD EN01 ALUMINIUM HELPING HAND	BRACKET
4	ENCLAD PANEL FIXING (STAINLESS STEEL)	
5	ENCLAD BRACKET TO RAIL FIXING (STAINLES	S STEEL)
6	ENCLAD HOST STRUCTURAL FIXING (STAINLI	
7	ENCLAD THERMAL ISOLATION PAD	
	CAVITY INSULATION (OPTION BY INSITE)	
8		NSITE)
9		
10		
11	WALL INSULATION (BY OTHERS)	
12	PLASTER BOARD (BY OTHERS)	
Cladding Type : ENCLAD [™] EXTRUDED ALUMINIUM PLANKS - VERTICALLY LAID Support System :		
	CLAD™ EN01 - SECRET FIXED	
Detail Description : EXTERNAL CORNER PANEL DETAIL (PLAN VIEW)		
Scale	e @ A3 : 1:2	Rev.: NOV 2022
Syst	em # :	Detail # :
EXF	P-V-EN01-SF1	06
ΕN	CLAD [™] RAINSCREE	N SYSTEMS
		101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND
Iſ	NSITE	P: +64 9 307 1529 www.insitefacades.co.nz





NEW ZEALAND

P: +64 9 307 1529 www.insitefacades.co.n

ENCLAD [™] EXTRUDED ALUMIN VERTICALLY LAID	IUM PLANKS -
Support System : ENCLAD [™] EN01 - SECRET FIXED	
Detail Description : WINDOW JAMB DETAIL (PLAN VIE	W)
Scale @ A3 : 1:2	Rev.: NOV 2022
System # :	Detail # :
EXP-V-EN01-SF1	07
ENCLAD [™] RAINSCREEM	N SYSTEMS
	01 STATION ROAD, PENROSE, UCKLAND 1061

Cladding Type :

С	* 75mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK INSULATION
D	* 50mm INSULATION (OPTION BY INSITE) FIRE STOP (OPTION BY INSITE)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 95mm SYSTEM CAVITY FOR 75mm THICK INSULATION 120mm SYSTEM CAVITY FOR 100mm THICK INSULATION
	PARTS LIST
1	ENCLAD TM EXTRUDED ALUMINIUM PLANKS
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN01 ALUMINIUM HELPING HAND BRACKET
4	ENCLAD PANEL FIXING (STAINLESS STEEL)
5	ENCLAD BRACKET TO RAIL FIXING (STAINLESS STEEL)
6	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
7	ENCLAD THERMAL ISOLATION PAD
8	CAVITY INSULATION (OPTION BY INSITE)
9	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
10	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
11	ALUMINIUM DOORS, WINDOWS & REVEALS (OPTION BY INSITE)
12	WALL INSULATION (BY OTHERS)
13	PLASTER BOARD (BY OTHERS)

DISCLAIMER : THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR ENSURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR ENSURING BUILDING WRAPS, FIRSTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NZEC REGULATION. REFER TO INSULATION WEST FOR FULL TERMS AND CONDITIONS.

LEGEND

20mm - 25mm NOMINAL VENTILATION ZONE (AIR GAP)

ENCLADTM EXTRUDED ALUMINIUM PLANKS

COPYRIGHT : THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.




А

В









Cladding Type : ENCLAD [™] EXTRUDED ALUMIN VERTICALLY LAID	IUM PLANKS -
Support System : ENCLAD [™] EN01 - SECRET FIXED	
Detail Description : DOOR JAMB DETAIL (PLAN VIEW)	
Scale @ A3 : 1:2	Rev.: NOV 2022
System # :	Detail # :
EXP-V-EN01-SF1	08
ENCLAD™ RAINSCREEN	SYSTEMS
)1 STATION ROAD, PENROSE, UCKLAND 1061 EW ZEALAND +64 9 307 1529

www.insitefacades.co.nz

А	ENCLAD TM EXTRUDED ALUMINIUM PLANKS
В	20mm - 25mm NOMINAL VENTILATION ZONE (AIR GAP)
с	* 75mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK INSULATION
D	* 50mm INSULATION (OPTION BY INSITE) FIRE STOP (OPTION BY INSITE)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 95mm SYSTEM CAVITY FOR 75mm THICK INSULATION 120mm SYSTEM CAVITY FOR 100mm THICK INSULATION
	PARTS LIST
1	ENCLAD TM EXTRUDED ALUMINIUM PLANKS
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN01 ALUMINIUM HELPING HAND BRACKET
4	ENCLAD PANEL FIXING (STAINLESS STEEL)
5	ENCLAD BRACKET TO RAIL FIXING (STAINLESS STEEL)
6	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
7	ENCLAD THERMAL ISOLATION PAD
8	CAVITY INSULATION (OPTION BY INSITE)
9	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
10	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
11	ALUMINIUM DOORS, WINDOWS & REVEALS (OPTION BY INSITE)
12	WALL INSULATION (BY OTHERS)
13	PLASTER BOARD (BY OTHERS)

DISCLAIMER : THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPRIDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNET BRESPONSIBLE FOR ENSURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNET IS RESPONSIBLE FOR RESURING BUILDING WRAPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NZEC REQUIRINGS. REFER TO INSITE WESTER FOR FULL TERMS AND CONDITIONS.


LEGEND

COPYRIGHT : THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.











P: +64 9 307 1529

www.insitefacades.co.n

101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND

Rev.: NOV 2022

ENCLAD TM	RAINSCREEM	N SYSTEMS
EXP-V-EN01-SF1		09
System # :		Detail # :

Detail Description : CONCRETE WALL ABUTMENT DETAIL (PLAN VIEW)

ENCLAD™ EN01 - SECRET FIXED

Support System :

Scale @ A3 : 1:2

ENCLAD[™] EXTRUDED ALUMINIUM PLANKS -**VERTICALLY LAID**

Cladding Type :

LEGEND		
А	ENCLAD TM EXTRUDED ALUMINIUM PLANKS	
В	20mm - 25mm NOMINAL VENTILATION ZONE (AIR GAP)	
С	* 75mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK INSULATION	
D	* 50mm INSULATION (OPTION BY INSITE) FIRE STOP (OPTION BY INSITE)	
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 95mm SYSTEM CAVITY FOR 75mm THICK INSULATION 120mm SYSTEM CAVITY FOR 100mm THICK INSULATION	
	PARTS LIST	
1	ENCLAD TM EXTRUDED ALUMINIUM PLANKS	
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE	
3	ENCLAD EN01 ALUMINIUM HELPING HAND BRACKET	
4	ENCLAD PANEL FIXING (STAINLESS STEEL)	
5	ENCLAD BRACKET TO RAIL FIXING (STAINLESS STEEL)	
6	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)	
7	ENCLAD THERMAL ISOLATION PAD	
8	CAVITY INSULATION (OPTION BY INSITE)	
9	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)	
10	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)	
11	WALL INSULATION (BY OTHERS)	
12	PLASTER BOARD (BY OTHERS)	

COPYRIGHT : THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD. DISCLAIMER : THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR ENSURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR ENSURING BUILDING WRAPS, FIRSTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NZEC REGULATION. REFER TO INSULATION WEST FOR FULL TERMS AND CONDITIONS.


Y

Thermosash











Scale @ A3 : 1:2

1 STATION ROAD, PENROSE, JCKLAND 1061 W ZEALAND

www.insitefacades.co.n

Rev.: NOV 2022

10

SYSTEMS

System # :	Detail # :
EXP-V-EN01-SF1	
ENCLAD [™] RAINSCREEM	V SYS
	01 STATION ROAE NUCKLAND 1061 IEW ZEALAND
	: +64 9 307 1529

Detail Description :

ENCLAD™ EN01 - SECRET FIXED

Support System :

ENCLAD[™] EXTRUDED ALUMINIUM PLANKS -**VERTICALLY LAID**

HORIZONTAL PANEL JOINT DETAIL(SECTION VIEW)

Cladding Type :



PARTS LIST

ENCLAD[™] EXTRUDED ALUMINIUM PLANKS ENCLAD EN01 ALUMINIUM SUPPORT PROFILE

ENCLAD PANEL FIXING (STAINLESS STEEL)

ENCLAD EN01 ALUMINIUM HELPING HAND BRACKET

	LEGEND
А	ENCLAD TM EXTRUDED ALUMINIUM PLANKS
В	20mm - 25mm NOMINAL VENTILATION ZONE (AIR GAP)
С	* 75mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK INSULATION
D	* 50mm INSULATION (OPTION BY INSITE) FIRE STOP (OPTION BY INSITE)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 95mm SYSTEM CAVITY FOR 75mm THICK INSULATION 120mm SYSTEM CAVITY FOR 100mm THICK INSULATION

DISCLAIMER : THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR ENSURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR ENSURING BUILDING WRAPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NZEC REGULATION. REFER TO INSULATIVE WESTIF FOR FULL TERMS AND CONDITIONS.

COPYRIGHT : THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.

Y

Thermosash

2


Δ







HIHHH &





OSE, NEW ZEALAND

P: +64 9 307 1529 www.insitefacades.co.n

Ladding Type : ENCLAD [™] EXTRUDED ALUMINIUM PLANKS - /ERTICALLY LAID		
Support System : ENCLAD™ EN01 - SECRET FIXED		
Detail Description : PARAPET FLASHING DETAIL (SECTION VIEW)		
Scale @ A3 : 1:2	Rev.: NOV 2022	
System # :	Detail # :	
EXP-V-EN01-SF1	11	
NCLAD [™] RAINSCREEN SYSTEMS		
	01 STATION ROAD, PENROSE, JUCKLAND 1061	

(S -

PLASTER BOARD (BY OTHERS)

14

PARTS LIST ENCLADTM EXTRUDED ALUMINIUM PLANKS 1 ENCLAD EN01 ALUMINIUM SUPPORT PROFILE 2 ENCLAD EN01 ALUMINIUM HELPING HAND BRACKET ENCLAD PANEL FIXING (STAINLESS STEEL) Δ ENCLAD BRACKET TO RAIL FIXING (STAINLESS STEEL) 5 ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL) ENCLAD THERMAL ISOLATION PAD 7 8 ENCLAD ALUMINIUM FLASHING 9 ENCLAD ALUMINIUM BRACKET 10 CAVITY INSULATION (OPTION BY INSITE) 11 BUILDING WRAP / MEMBRANE (OPTION BY INSITE) 12 RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE) 13 WALL INSULATION (BY OTHERS)

А	ENCLAD TM EXTRUDED ALUMINIUM PLANKS
В	20mm - 25mm NOMINAL VENTILATION ZONE (AIR GAP)
С	* 75mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK INSULATION
D	* 50mm INSULATION (OPTION BY INSITE) FIRE STOP (OPTION BY INSITE)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 95mm SYSTEM CAVITY FOR 75mm THICK INSULATION 120mm SYSTEM CAVITY FOR 100mm THICK INSULATION

DISCLAIMER : THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VAR' DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR ENSURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CLAUGES. THE DESIGNER IS RESPONSIBLE FOR ENSURING BUILDING WRAPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NZEC REGULATIONS. REFER TO INSULATION WESTER FOR HULT TERMS AND CONDITIONS.

LEGEND


COPYRIGHT : THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.

Y

Thermosash








DISCLAIN	FACADES LTD.		
DEPENDIN ENSURING BUILDING	IG ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENT. DETAILS SATERY ALL NEW ZEAHAD BUILDING CODE CLAUSES. THE DESIG WRAPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANU ULATIONS, REFER TO INSITE WEBSITE FOR FULL TERMS AND CONDITIONS.	S. THE DESIGNER IS RESPONSIBLE FOR NER IS RESPONSIBLE FOR ENSURING	
	LEGEND		
А	ENCLAD TM EXTRUDED ALUMINIUM PLANKS		
В	20mm - 25mm NOMINAL VENTILATION ZONE	(AIR GAP)	
с	* 75mm SYSTEM CAVITY TO ACCOMMODATE INSULATION	50mm THICK	
D	* 50mm INSULATION (OPTION BY INSITE) FIRE STOP (OPTION BY INSITE)		
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 95mm SYSTEM CAVITY FOR 75mm THICK INSULATION 120mm SYSTEM CAVITY FOR 100mm THICK INSULATION		
	PARTS LIST		
1	ENCLAD TM EXTRUDED ALUMINIUM PLANKS		
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE		
3	ENCLAD EN01 ALUMINIUM HELPING HAND B	RACKET	
4	ENCLAD PANEL FIXING (STAINLESS STEEL)		
5	ENCLAD BRACKET TO RAIL FIXING (STAINLESS	STEEL)	
6	ENCLAD HOST STRUCTURAL FIXING (STAINLES		
7	ENCLAD THERMAL ISOLATION PAD		
8	ENCLAD ALUMINIUM FLASHING		
9	ENCLAD ALUMINIUM FLASHING ENCLAD ALUMINIUM CLOSURE		
10	CAVITY INSULATION (OPTION BY INSITE)		
11	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)		
12	RIGID AIR BARRIER / SHEATHING BOARD (OPT		
13			
14	ALUMINIUM DOORS, WINDOWS & REVEALS (OPTION BY INSITE)		
	WALL INSULATION (BY OTHERS)		
15	15 PLASTER BOARD (BY OTHERS)		
ENC VEF	ding Type : CLAD[™] EXTRUDED ALUMIN RTICALLY LAID port System : CLAD[™] EN01 - SECRET FIXED	IUM PLANKS -	
	il Description : NDOW HEAD DETAIL (SECTION	VIEW)	
Scale @ A3 : 1:2 Rev. : NOV 2022			
System # : Detail # :			
EXP-V-EN01-SF1 12			
EN	CLAD [™] RAINSCREEN	N SYSTEMS	
IL		01 STATION ROAD, PENROSE, UCKLAND 1061 EW ZEALAND	
		+64 9 307 1529 ww.insitefacades.co.nz	

PART OF THE THERMOSASH GROUP COMPANIES :

Thermosash






DEPENDIN ENSURING BUILDING	IER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CON GON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENT DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIG WRAPS, RIFESTOPS AND INSULTATIONS/SPECIFICATION COMPLY WITH MAN ULATIONS. REFER TO INSITE WEBSITE FOR FULL TERMS AND CONDITIONS.	S. THE DESIGNER IS RESPONSIBLE FOR INER IS RESPONSIBLE FOR ENSURING	
	LEGEND		
Α	ENCLAD TM EXTRUDED ALUMINIUM PLANKS		
В	20mm - 25mm NOMINAL VENTILATION ZON	E (AIR GAP)	
с	* 75mm SYSTEM CAVITY TO ACCOMMODATE INSULATION	50mm THICK	
D	* 50mm INSULATION (OPTION BY INSITE) FIRE STOP (OPTION BY INSITE)		
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 95mm SYSTEM CAVITY FOR 75mm THICK INSULATION 120mm SYSTEM CAVITY FOR 100mm THICK INSULATION		
	PARTS LIST		
1	ENCLAD TM EXTRUDED ALUMINIUM PLANKS		
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE	1	
3	ENCLAD EN01 ALUMINIUM HELPING HAND B	RACKET	
4	ENCLAD PANEL FIXING (STAINLESS STEEL)		
5	ENCLAD BRACKET TO RAIL FIXING (STAINLESS	STEEL)	
6	ENCLAD HOST STRUCTURAL FIXING (STAINLE	SS STEEL)	
7	ENCLAD THERMAL ISOLATION PAD		
8	ENCLAD ALUMINIUM FLASHING		
9	ENCLAD ALUMINIUM CLOSURE		
10	CAVITY INSULATION (OPTION BY INSITE)		
11	BUILDING WRAP / MEMBRANE (OPTION BY IN	ISITE)	
12	RIGID AIR BARRIER / SHEATHING BOARD (OP	fion by insite)	
13	ALUMINIUM DOORS, WINDOWS & REVEALS	OPTION BY INSITE)	
14	WALL INSULATION (BY OTHERS)		
15	PLASTER BOARD (BY OTHERS)		
ENC VEF Supp ENC	ding Type : CLAD [™] EXTRUDED ALUMIN RTICALLY LAID bort System : CLAD [™] EN01 - SECRET FIXED il Description :		
	OR HEAD DETAIL (SECTION VIE		
Scale	e @ A3 : 1:2	Rev.: NOV 2022	
-	em # : P-V-EN01-SF1	Detail # : 13	
ΕN	CLAD [™] RAINSCREEM	N SYSTEMS	
Iſ		01 STATION ROAD, PENROSE, UCKLAND 1061 IEW ZEALAND : +64 9 307 1529 www.insitefacades.co.nz	

Thermosash

COPYRIGHT : THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES I TD







Scale @ A3 : 1:2	Rev.: NOV 2022
System # :	Detail # :
EXP-V-EN01-SF1	14
ENCLAD [™] RAINSCREE	N SYSTEMS
	01 STATION ROAD, PENROSE, NUCKLAND 1061 IEW ZEALAND
	: +64 9 307 1529 www.insitefacades.co.nz

Detail Description : WINDOW SILL DETAIL (SECTION VIEW)

Support System : **ENCLAD™ EN01 - SECRET FIXED**

VERTICALLY LAID

Cladding Type : **ENCLAD[™] EXTRUDED ALUMINIUM PLANKS** ·

В * 75mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK С INSULATION * 50mm INSULATION (OPTION BY INSITE) D FIRE STOP (OPTION BY INSITE) OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 95mm SYSTEM CAVITY FOR 75mm THICK INSULATION 120mm SYSTEM CAVITY FOR 100mm THICK INSULATION PARTS LIST ENCLADTM EXTRUDED ALUMINIUM PLANKS 1 ENCLAD EN01 ALUMINIUM SUPPORT PROFILE 2 ENCLAD EN01 ALUMINIUM HELPING HAND BRACKET ENCLAD PANEL FIXING (STAINLESS STEEL) Δ ENCLAD BRACKET TO RAIL FIXING (STAINLESS STEEL) 5 ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL) ENCLAD THERMAL ISOLATION PAD 7 8 ENCLAD ALUMINIUM FLASHING 9 CAVITY INSULATION (OPTION BY INSITE) 10 BUILDING WRAP / MEMBRANE (OPTION BY INSITE) 11 RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE) 12 ALUMINIUM DOORS, WINDOWS & REVEALS (OPTION BY INSITE) 13 WALL INSULATION (BY OTHERS) 14 PLASTER BOARD (BY OTHERS)

20mm - 25mm NOMINAL VENTILATION ZONE (AIR GAP)

ENCLADTM EXTRUDED ALUMINIUM PLANKS

DISCLAIMER : THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VAR' DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR ENSURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CLAUGES. THE DESIGNER IS RESPONSIBLE FOR ENSURING BUILDING WRAPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NZEC REGULATIONS. REFER TO INSULATION WESTER FOR HULT TERMS AND CONDITIONS.

LEGEND


Y Thermosash COPYRIGHT : THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.





PART OF THE THERMOSASH GROUP COMPANIES

А





101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND

P: +64 9 307 1529

www.insitefacades.co.n

E N C L A D [™]	RAINSCREEN	SYSTEMS

System # : EXP-V-EN01-SF1

15

Scale @ A3 : 1:2

Rev.: NOV 2022 Detail # :

Detail Description : BRICKWALL AT BASE DRIP DETAIL (SECTION VIEW)

Support System : **ENCLAD™ EN01 - SECRET FIXED**

VERTICALLY LAID

Cladding Type : **ENCLAD[™] EXTRUDED ALUMINIUM PLANKS** -

В 20mm - 25mm NOMINAL VENTILATION ZONE (AIR GAP) * 75mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK С INSULATION * 50mm INSULATION (OPTION BY INSITE) D FIRE STOP (OPTION BY INSITE) OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 95mm SYSTEM CAVITY FOR 75mm THICK INSULATION 120mm SYSTEM CAVITY FOR 100mm THICK INSULATION * PARTS LIST ENCLADTM EXTRUDED ALUMINIUM PLANKS 1 ENCLAD EN01 ALUMINIUM SUPPORT PROFILE 2 ENCLAD EN01 ALUMINIUM HELPING HAND BRACKET 3 ENCLAD PANEL FIXING (STAINLESS STEEL) Δ ENCLAD BRACKET TO RAIL FIXING (STAINLESS STEEL) 5 ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL) ENCLAD THERMAL ISOLATION PAD 7 8 ENCLAD ALUMINIUM FLASHING 9 CAVITY INSULATION (OPTION BY INSITE) 10 BUILDING WRAP / MEMBRANE (OPTION BY INSITE) 11 RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE) 12 WALL INSULATION (BY OTHERS) 13 PLASTER BOARD (BY OTHERS)



А





DISCLAIMER : THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VAR' DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR ENSURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CLAUGES. THE DESIGNER IS RESPONSIBLE FOR ENSURING BUILDING WRAPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NZEC REGULATIONS. REFER TO INSULATION WESTER FOR HULT TERMS AND CONDITIONS.


LEGEND


ENCLADTM EXTRUDED ALUMINIUM PLANKS

























23.91 7.42







PART OF THE THERMOSASH GROUP COMPANIES