

ENCLADTM TERRACOTTA - HORIZONTALLY LAID

ENCLADTM EN02 SUPPORT SYSTEM HOOK ON SECRET FIXED

DRAWING REGISTER			
PAGE	DETAIL DESCRIPTION	DETAIL#	REV.
00/16	COVER PAGE	00	NOV 22
01/16	CAVITY SET OUT	01	NOV 22
02/16	SCHEMATIC	02	NOV 22
03/16	VERTICAL PANEL JOINT DETAIL (PLAN VIEW)	03	NOV 22
04/16	PANEL MIDSPAN SUPPORT DETAIL (PLAN VIEW)	04	NOV 22
05/16	BRICKWALL ABUTMENT DETAIL (PLAN VIEW)	05	NOV 22
06/16	INTERNAL CORNER PANEL DETAIL (PLAN VIEW)	06	NOV 22
07/16	EXTERNAL CORNER PANEL DETAIL (PLAN VIEW)	07	NOV 22
08/16	WINDOW JAMB DETAIL (PLAN VIEW)	08	NOV 22
09/16	DOOR JAMB DETAIL (PLAN VIEW)	09	NOV 22
10/16	CONCRETE WALL ABUTMENT DETAIL (PLAN VIEW)	10	NOV 22
11/16	HORIZONTAL PANEL JOINT DETAIL (SECTION VIEW)	11	NOV 22
12/16	PARAPET FLASHING DETAIL (SECTION VIEW)	12	NOV 22
13/16	WINDOW HEAD DETAIL (SECTION VIEW)	13	NOV 22
14/16	DOOR HEAD DETAIL (SECTION VIEW)	14	NOV 22
15/16	WINDOW SILL DETAIL (SECTION VIEW)	15	NOV 22
16/16	BRICKWALL AT BASE DRIP DETAIL (SECTION VIEW)	16	NOV 22

PART OF THE THERMOSASH GROUP COMPANIES








YRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COP USITE FACADES LTD

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VAR DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR ENSURING DETAILS SATISTY ALL INEW ZEALANDS BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR ENSURING BUILDING WARPS, RIESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND PROMITTIONS.



Cladding Type:

ENCLAD™ TERRACOTTA TILES -HORIZONTALLY LAID

Support System:

ENCLAD™ EN02 - HOOK ON SECRET FIXED

Detail Description : COVER PAGE

 Scale @ A3 :
 Rev. : NOV 2022

 System # :
 Detail # :

 TERRA-H-EN02-HOR-SF3
 00

ENCLAD™ RAINSCREEN SYSTEMS




101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND


P: +64 9 307 1529



EN02 - ADJUSTABLE SYSTEM CAVITY



50mm THICK INSULATION IN CAVITY ZONE



CAVITY SET OUT

ENCLADTM TERRACOTTA TILES

75mm THICK INSULATION IN CAVITY ZONE

PART OF THE THERMOSASH GROUP COMPANIES







COPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VAR'
DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR
ENSURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR ENSURING
BUILDING WARPS, BRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND
RUSZE REGULATIONS. REFER TO INSTITE WESTER FOR PULL TERMS AND CONDITIONS.

LEGEND				
Α	ENCLAD™ TERRACOTTA TILES			
В	30mm - 32mm NOMINAL VENTILATION ZONE (AIR GAP)			
С	* 82mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK INSULATION			
D	* 50mm INSULATION (OPTION BY INSITE) FIRE STOP (OPTION BY INSITE)			
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 105mm SYSTEM CAVITY FOR 75mm THICK INSULATION			

Cladding Type:

ENCLAD™ TERRACOTTA TILES -HORIZONTALLY LAID

Support System:

ENCLAD™ EN02 - HOOK ON SECRET FIXED

Detail Description: CAVITY SETOUT (PLAN VIEW)

Scale @ A3: 1:2.5 Rev.: NOV 2022 System #: Detail #:

TERRA-H-EN02-HOR-SF3



ENCLAD™ RAINSCREEN SYSTEMS


P: +64 9 307 1529

101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND

01

ADJUSTABLE SYSTEMS ACCOMODATE BUILDING TOLERANCE AND INCORPORATION OF INSULATION FOR H1 REQUIREMENTS - STANDARD SYSTEM CAVITY SHOWN -BESPOKE OPTIONS AVAILABLE FOR PROJECT SPECIFIC REQUIREMENTS





SCHEMATIC
ENCLADTM TERRACOTTA TILES

PART OF THE THERMOSASH GROUP COMPANIES :







COPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURRING DETAILS SATIETS VALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARDS. FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REGULATIONS. EFERT OF INSITE WESSIFE FOR FULL TERMS AND CONDITIONS.

Cladding Type:

ENCLAD™ TERRACOTTA TILES - HORIZONTALLY LAID

Support System:

ENCLAD™ EN02 - HOOK ON SECRET FIXED

Detail Description : SCHEMATIC

 Scale @ A3: 1:5
 Rev.: NOV 2022


 System #:
 Detail #:


 TERRA-H-EN02-HOR-SF3
 02

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND





03 VERTICAL PANEL JOINT DETAIL ENCLADTM TERRACOTTA TILES

PART OF THE THERMOSASH GROUP COMPANIES :







COPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURRING DETAILS SATIETS VALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARDS. FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REGULATIONS. EFERT OF INSITE WESSIFE FOR FULL TERMS AND CONDITIONS.

LEGEND

А	ENCLAD™ TERRACOTTA TILES
В	30mm - 32mm NOMINAL VENTILATION ZONE (AIR GAP)
С	* 82mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK INSULATION
D	* 50mm INSULATION (OPTION BY INSITE) FIRE STOP (OPTION BY INSITE)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 105mm SYSTEM CAVITY FOR 75mm THICK INSULATION
	PARTS LIST
1	ENCLAD TM TERRACOTTA TILE
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN01 ALUMINIUM HELPING HAND BRACKET
4	ENCLAD EN01 ALUMINIUM TILE CLIP
5	ENCLAD CLIP FIXING (STAINLESS STEEL)
6	ENCLAD BRACKET TO RAIL FIXING (STAINLESS STEEL)
7	ENCLAD GASKET
8	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
9	ENCLAD THERMAL ISOLATION PAD
10	CAVITY INSULATION (OPTION BY INSITE)
11	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
12	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
13	WALL INSULATION (BY OTHERS)
14	PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ TERRACOTTA TILES - HORIZONTALLY LAID

Support System:

ENCLAD™ EN02 - HOOK ON SECRET FIXED

Detail Description:

VERTICAL PANEL JOINT DETAIL (PLAN VIEW)


Scale @ A3 : 1:2	Rev.: NOV 2022
System #:	Detail # :
TERRA-H-EN02-HOR-SF3	03


ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND







PANEL MID SUPPORT DETAIL ENCLADTM TERRACOTTA TILES

PART OF THE THERMOSASH GROUP COMPANIES :







COPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURRING DETAILS SATIETS VALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARDS. FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REGULATIONS. EFERT OF INSITE WESSIFE FOR FULL TERMS AND CONDITIONS.

	LEGEND
А	ENCLAD TM TERRACOTTA TILES
В	30mm - 32mm NOMINAL VENTILATION ZONE (AIR GAP)
С	* 82mm System Cavity to accommodate 50mm Thick Insulation
D	* 50mm INSULATION (OPTION BY INSITE) FIRE STOP (OPTION BY INSITE)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 105mm SYSTEM CAVITY FOR 75mm THICK INSULATION
	PARTS LIST
1	ENCLAD TM TERRACOTTA TILE
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN01 ALUMINIUM HELPING HAND BRACKET
4	ENCLAD EN01 ALUMINIUM TILE CLIP
5	ENCLAD CLIP FIXING (STAINLESS STEEL)
6	ENCLAD BRACKET TO RAIL FIXING (STAINLESS STEEL)
7	ENCLAD GASKET
8	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
9	ENCLAD THERMAL ISOLATION PAD
10	CAVITY INSULATION (OPTION BY INSITE)
11	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
12	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
13	WALL INSULATION (BY OTHERS)
14	PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ TERRACOTTA TILES - HORIZONTALLY LAID

Support System:

ENCLAD™ EN02 - HOOK ON SECRET FIXED

Detail Description:

PANEL MID SUPPORT DETAIL (PLAN VIEW)

 Scale @ A3 : 1:2
 Rev. : NOV 2022

 System # :
 Detail # :


TERRA-H-EN02-HOR-SF3


ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND







05 BRICKWALL ABUTMENT DETAIL ENCLADTM TERRACOTTA TILES

PART OF THE THERMOSASH GROUP COMPANIES :







COPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND DESIGNERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RENSURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RENSURING BUILDING WARDS. STRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REGULATIONS. REFER TO INSITE WESSITE FOR PULL TERMS AND CONDITIONS.

LEGEND				
А	ENCLAD TM TERRACOTTA TILES			
В	30mm - 32mm NOMINAL VENTILATION ZONE (AIR GAP)			
С	* 82mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK INSULATION			
D	* 50mm INSULATION (OPTION BY INSITE) FIRE STOP (OPTION BY INSITE)			
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 105mm SYSTEM CAVITY FOR 75mm THICK INSULATION			
•	PARTS LIST			
1	ENCLAD TM TERRACOTTA TILE			
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE			
3	ENCLAD EN01 ALUMINIUM HELPING HAND BRACKET			
4	ENCLAD EN01 ALUMINIUM TILE CLIP			
5	ENCLAD CLIP FIXING (STAINLESS STEEL)			
6	ENCLAD BRACKET TO RAIL FIXING (STAINLESS STEEL)			
7	ENCLAD GASKET			
8	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)			
9	ENCLAD THERMAL ISOLATION PAD			
10	ENCLAD ALUMINIUM CLOSURE			
11	CAVITY INSULATION (OPTION BY INSITE)			
12	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)			
13	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)			
14	WALL INSULATION (BY OTHERS)			
15	PLASTER BOARD (BY OTHERS)			

Cladding Type:

ENCLAD™ TERRACOTTA TILES - HORIZONTALLY LAID

Support System:

ENCLAD™ EN02 - HOOK ON SECRET FIXED

Detail Description:


BRICKWALL ABUTMENT DETAIL (PLAN VIEW)

Scale @ A3 : 1:2	Rev.: NOV 2022
System #:	Detail # :
TERRA-H-EN02-HOR-SF3	05

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND



PART OF THE THERMOSASH GROUP COMPANIES :







PYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIF

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND DESIGNERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RENSURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RENSURING BUILDING WARDS. STRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REGULATIONS. REFER TO INSITE WESSITE FOR PULL TERMS AND CONDITIONS.

LEGEND

LEGEND		
А	ENCLAD TM TERRACOTTA TILES	
В	30mm - 32mm NOMINAL VENTILATION ZONE (AIR GAP)	
С	* 82mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK INSULATION	
D	* 50mm INSULATION (OPTION BY INSITE) FIRE STOP (OPTION BY INSITE)	
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 105mm SYSTEM CAVITY FOR 75mm THICK INSULATION	
·	PARTS LIST	
1	ENCLAD™ TERRACOTTA TILE	
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE	
3	ENCLAD EN01 ALUMINIUM HELPING HAND BRACKET	
4	ENCLAD EN01 ALUMINIUM TILE CLIP	
5	ENCLAD CLIP FIXING (STAINLESS STEEL)	
6	ENCLAD BRACKET TO RAIL FIXING (STAINLESS STEEL)	
7	ENCLAD GASKET	
8	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)	
9	ENCLAD THERMAL ISOLATION PAD	
10	CAVITY INSULATION (OPTION BY INSITE)	
11	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)	
12	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)	
13	WALL INSULATION (BY OTHERS)	
14	PLASTER BOARD (BY OTHERS)	

Cladding Type:

ENCLAD™ TERRACOTTA TILES - HORIZONTALLY LAID

Support System:

ENCLAD™ EN02 - HOOK ON SECRET FIXED

Detail Description:

INTERNAL CORNER PANEL DETAIL (PLAN VIEW)


Scale @ A3: 1:2.5	Rev.: NOV 2022
System #:	Detail # :
TERRA-H-EN02-HOR-SF3	06


ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND

P: +64 9 307 1529





07 EXTERNAL CORNER PANEL DETAIL ENCLADTM TERRACOTTA TILES

PART OF THE THERMOSASH GROUP COMPANIES :







OPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPEC

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURRING DETAILS SATIETS VALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARDS. FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REGULATIONS. EFERT OF INSITE WESSIFE FOR FULL TERMS AND CONDITIONS.

	LEGEND
А	ENCLAD TM TERRACOTTA TILES
В	30mm - 32mm NOMINAL VENTILATION ZONE (AIR GAP)
С	* 82mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK INSULATION
D	* 50mm INSULATION (OPTION BY INSITE) FIRE STOP (OPTION BY INSITE)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 105mm SYSTEM CAVITY FOR 75mm THICK INSULATION
·	PARTS LIST
1	ENCLAD TM TERRACOTTA TILE
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN01 ALUMINIUM HELPING HAND BRACKET
4	ENCLAD EN01 ALUMINIUM TILE CLIP
5	ENCLAD CLIP FIXING (STAINLESS STEEL)
6	ENCLAD BRACKET TO RAIL FIXING (STAINLESS STEEL)
7	ENCLAD GASKET
8	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
9	ENCLAD THERMAL ISOLATION PAD
10	CAVITY INSULATION (OPTION BY INSITE)
11	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
12	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
13	WALL INSULATION (BY OTHERS)
14	PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ TERRACOTTA TILES - HORIZONTALLY LAID

Support System:

ENCLAD™ EN02 - HOOK ON SECRET FIXED

Detail Description:

EXTERNAL CORNER PANEL DETAIL (PLAN VIEW)

 Scale @ A3 : 1:2
 Rev. : NOV 2022

 System # :
 Detail # :

 TERRA-H-EN02-HOR-SF3
 07

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND







COPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURRING DETAILS SATIETS VALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARDS. FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REGULATIONS. EFERT OF INSITE WESSIFE FOR FULL TERMS AND CONDITIONS.

LEGEND

LEGEND		
Α	ENCLAD TM TERRACOTTA TILES	
В	30mm - 32mm NOMINAL VENTILATION ZONE (AIR GAP)	
С	* 82mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK INSULATION	
D	* 50mm INSULATION (OPTION BY INSITE) FIRE STOP (OPTION BY INSITE)	
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 105mm SYSTEM CAVITY FOR 75mm THICK INSULATION	
	PARTS LIST	
1	ENCLAD TM TERRACOTTA TILE	
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE	
3	ENCLAD EN01 ALUMINIUM HELPING HAND BRACKET	
4	ENCLAD EN01 ALUMINIUM TILE CLIP	
5	ENCLAD CLIP FIXING (STAINLESS STEEL)	
6	ENCLAD BRACKET TO RAIL FIXING (STAINLESS STEEL)	
7	ENCLAD GASKET	
8	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)	
9	ENCLAD THERMAL ISOLATION PAD	
10	ENCLAD ALUMINIUM CLOSURE	
11	CAVITY INSULATION (OPTION BY INSITE)	
12	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)	
13	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)	
14	ALUMINIUM DOORS, WINDOWS & REVEALS (OPTION BY INSITE)	
15	WALL INSULATION (BY OTHERS)	
16	PLASTER BOARD (BY OTHERS)	

Cladding Type:

ENCLAD™ TERRACOTTA TILES - HORIZONTALLY LAID

Support System:

ENCLAD™ EN02 - HOOK ON SECRET FIXED


Detail Description:
WINDOW JAMB DETAIL (PLAN VIEW)

Scale @ A3: 1:2	Rev.: NOV 2022
System #:	Detail # :
TERRA-H-EN02-HOR-SF3	08

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND









COPYRIGHT: THESE DESIGNS, DETAILS

SITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURRING DETAILS SATIETS VALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARDS. FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REGULATIONS. EFERT OF INSITE WESSIFE FOR FULL TERMS AND CONDITIONS.

	LEGEND
А	ENCLAD TM TERRACOTTA TILES
В	30mm - 32mm NOMINAL VENTILATION ZONE (AIR GAP)
С	* 82mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK INSULATION
D	* 50mm Insulation (option by Insite) Fire Stop (option by Insite)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 105mm SYSTEM CAVITY FOR 75mm THICK INSULATION
	PARTS LIST
1	ENCLAD TM TERRACOTTA TILE
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN01 ALUMINIUM HELPING HAND BRACKET
4	ENCLAD EN01 ALUMINIUM TILE CLIP
5	ENCLAD CLIP FIXING (STAINLESS STEEL)
6	ENCLAD BRACKET TO RAIL FIXING (STAINLESS STEEL)
7	ENCLAD GASKET
8	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
9	ENCLAD THERMAL ISOLATION PAD
10	ENCLAD ALUMINIUM CLOSURE
11	CAVITY INSULATION (OPTION BY INSITE)
12	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
13	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
14	ALUMINIUM DOORS, WINDOWS & REVEALS (OPTION BY INSITE)
15	WALL INSULATION (BY OTHERS)
16	PLASTER BOARD (BY OTHERS)
\exists	
\exists	
\dashv	
\dashv	
\dashv	

Cladding Type:

ENCLAD™ TERRACOTTA TILES - HORIZONTALLY LAID

Support System:

ENCLAD™ EN02 - HOOK ON SECRET FIXED

Detail Description:
DOOR JAMB DETAIL (PLAN VIEW)


Scale @ A3 : 1:2	Rev.: NOV 2022
System #:	Detail # :
TERRA-H-EN02-HOR-SF3	09

ENCLAD™ RAINSCREEN SYSTEMS




101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND


P: +64 9 307 1529 www.insitefacades.co.nz



RAINSCREEN SYSTEMS







CONCRETE WALL ABUTMENT DETAIL ENCLADTM TERRACOTTA TILES

PART OF THE THERMOSASH GROUP COMPANIES







COPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURRING DETAILS SATISTY ALL NEW ZELANDA BUILLIONG CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RESURRING BUILLIONG WARPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NIZE REGULATIONS REPER TO INSTITUTE WEISTER FOR PULL TERMS AND CONDITIONS.

	LEGEND
Α	ENCLAD™ TERRACOTTA TILES
В	30mm - 32mm NOMINAL VENTILATION ZONE (AIR GAP)
С	* 82mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK INSULATION
D	* 50mm INSULATION (OPTION BY INSITE) FIRE STOP (OPTION BY INSITE)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 105mm SYSTEM CAVITY FOR 75mm THICK INSULATION
	PARTS LIST
1	ENCLAD™ TERRACOTTA TILE
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN01 ALUMINIUM HELPING HAND BRACKET
4	ENCLAD EN01 ALUMINIUM TILE CLIP
5	ENCLAD CLIP FIXING (STAINLESS STEEL)
6	ENCLAD BRACKET TO RAIL FIXING (STAINLESS STEEL)
7	ENCLAD GASKET
8	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
9	ENCLAD THERMAL ISOLATION PAD
10	ENCLAD ALUMINIUM CLOSURE
11	CAVITY INSULATION (OPTION BY INSITE)
12	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
13	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
14	WALL INSULATION (BY OTHERS)
15	PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ TERRACOTTA TILES - HORIZONTALLY LAID

Support System:

ENCLAD™ EN02 - HOOK ON SECRET FIXED

Detail Description:

CONCRETE WALL ABUTMENT DETAIL (PLAN VIEW)


Scale @ A3: 1:2	Rev.: NOV 2022
System #:	Detail # :
TERRA-H-EN02-HOR-SF3	10


ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND







HORIZONTAL PANEL JOINT DETAIL ENCLADTM TERRACOTTA TILES

PART OF THE THERMOSASH GROUP COMPANIES :







COPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURRING DETAILS SATIETS VALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARDS. FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REGULATIONS. EFERT OF INSITE WESSIFE FOR FULL TERMS AND CONDITIONS.

LEGEND ENCLAD [™] TERRACOTTA TILES
ENCLAD™ TERRACOTTA TILES
30mm - 32mm NOMINAL VENTILATION ZONE (AIR GAP)
* 82mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK INSULATION
* 50mm INSULATION (OPTION BY INSITE) FIRE STOP (OPTION BY INSITE)
OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 105mm SYSTEM CAVITY FOR 75mm THICK INSULATION
PARTS LIST
ENCLAD™ TERRACOTTA TILE
ENCLAD EN01 ALUMINIUM SUPPORT PROFILE
ENCLAD EN01 ALUMINIUM HELPING HAND BRACKET
ENCLAD EN01 ALUMINIUM TILE CLIP
ENCLAD CLIP FIXING (STAINLESS STEEL)
ENCLAD BRACKET TO RAIL FIXING (STAINLESS STEEL)
ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
ENCLAD THERMAL ISOLATION PAD
CAVITY INSULATION (OPTION BY INSITE)
BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
WALL INSULATION (BY OTHERS)
PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ TERRACOTTA TILES - HORIZONTALLY LAID

Support System:

ENCLAD™ EN02 - HOOK ON SECRET FIXED

Detail Description:

HORIZONTAL PANEL JOINT DETAIL(SECTION VIEW)

Scale @ A3 : 1:2	Rev.: NOV 2022
System #:	Detail # :
TERRA-H-EN02-HOR-SF3	11

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND







COPYRIGHT : THESE DESIGNS, DET

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURRING DETAILS SATIETS VALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARDS. FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REGULATIONS. EFERT OF INSITE WESSIFE FOR FULL TERMS AND CONDITIONS.

	LEGEND
А	ENCLAD TM TERRACOTTA TILES
В	30mm - 32mm NOMINAL VENTILATION ZONE (AIR GAP)
С	* 82mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK INSULATION
D	* 50mm INSULATION (OPTION BY INSITE) FIRE STOP (OPTION BY INSITE)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 105mm SYSTEM CAVITY FOR 75mm THICK INSULATION
·	PARTS LIST
1	ENCLAD TM TERRACOTTA TILE
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN01 ALUMINIUM HELPING HAND BRACKET
4	ENCLAD EN01 ALUMINIUM TILE CLIP
5	ENCLAD CLIP FIXING (STAINLESS STEEL)
6	ENCLAD BRACKET TO RAIL FIXING (STAINLESS STEEL)
7	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
8	ENCLAD THERMAL ISOLATION PAD
9	ENCLAD ALUMINIUM FLASHING
10	ENCLAD ALUMINIUM BRACKET
11	CAVITY INSULATION (OPTION BY INSITE)
12	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
13	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
14	WALL INSULATION (BY OTHERS)
15	PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ TERRACOTTA TILES - HORIZONTALLY LAID

Support System:

ENCLAD™ EN02 - HOOK ON SECRET FIXED

Detail Description:

PARAPET FLASHING DETAIL (SECTION VIEW)


Scale @ A3 : 1:2.5	Rev.: NOV 2022
System #:	Detail # :
TERRA-H-EN02-HOR-SF3	12


ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND

P: +64 9 307 1529 www.insitefacades.co.nz





PARAPET FLASHING DETAIL
ENCLADTM TERRACOTTA TILES

PART OF THE THERMOSASH GROUP COMPANIES :







COPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR ENSURING DETAILS SATISFY ALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR ENSURING BUILDING WARPS, FIRESTOPS AND INSULIATIONS/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NZBC REGULATIONS. REFER TO INSITE WEBSITE FOR FULL TERMS AND CONDITIONS.

	LECTUR
	LEGEND
А	ENCLAD TM TERRACOTTA TILES
В	30mm - 32mm NOMINAL VENTILATION ZONE (AIR GAP)
С	* 82mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK INSULATION
D	* 50mm INSULATION (OPTION BY INSITE) FIRE STOP (OPTION BY INSITE)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 105mm SYSTEM CAVITY FOR 75mm THICK INSULATION
	PARTS LIST
1	ENCLAD TM TERRACOTTA TILE
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN01 ALUMINIUM HELPING HAND BRACKET
4	ENCLAD EN01 ALUMINIUM TILE CLIP
5	ENCLAD CLIP FIXING (STAINLESS STEEL)
6	ENCLAD BRACKET TO RAIL FIXING (STAINLESS STEEL)
7	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
8	ENCLAD THERMAL ISOLATION PAD
9	ENCLAD ALUMINIUM FLASHING
10	ENCLAD ALUMINIUM CLOSURE
11	CAVITY INSULATION (OPTION BY INSITE)
12	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
13	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
14	ALUMINIUM DOORS, WINDOWS & REVEALS (OPTION BY INSITE)
15	WALL INSULATION (BY OTHERS)
16	PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ TERRACOTTA TILES - HORIZONTALLY LAID

Support System:

ENCLAD™ EN02 - HOOK ON SECRET FIXED

Detail Description:

WINDOW HEAD DETAIL (SECTION VIEW)

Scale @ A3 : 1:2	Rev.: NOV 2022
System #:	Detail # :
TERRA-H-EN02-HOR-SF3	13

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND

PART OF THE THERMOSASH GROUP COMPANIES :







COPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CALUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REQUIATIONS. FERET OF INSITE WESSIFE FOR FULL TERMS AND CONDITIONS.

	LEGEND
А	ENCLAD TM TERRACOTTA TILES
В	30mm - 32mm NOMINAL VENTILATION ZONE (AIR GAP)
С	* 82mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK INSULATION
D	* 50mm INSULATION (OPTION BY INSITE) FIRE STOP (OPTION BY INSITE)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 105mm SYSTEM CAVITY FOR 75mm THICK INSULATION
	PARTS LIST
1	ENCLAD™ TERRACOTTA TILE
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN01 ALUMINIUM HELPING HAND BRACKET
4	ENCLAD EN01 ALUMINIUM TILE CLIP
5	ENCLAD CLIP FIXING (STAINLESS STEEL)
6	ENCLAD BRACKET TO RAIL FIXING (STAINLESS STEEL)
7	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
8	ENCLAD THERMAL ISOLATION PAD
9	ENCLAD ALUMINIUM FLASHING
10	ENCLAD ALUMINIUM CLOSURE
11	CAVITY INSULATION (OPTION BY INSITE)
12	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
13	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
14	ALUMINIUM DOORS, WINDOWS & REVEALS (OPTION BY INSITE)
15	WALL INSULATION (BY OTHERS)
16	PLASTER BOARD (BY OTHERS)
\dashv	
\neg	
- 1	

Cladding Type:

ENCLAD™ TERRACOTTA TILES - HORIZONTALLY LAID

Support System:

ENCLAD™ EN02 - HOOK ON SECRET FIXED

Detail Description:
DOOR HEAD DETAIL (SECTION VIEW)

 Scale @ A3 : 1:2
 Rev. : NOV 2022

 System # :
 Detail # :

 TERRA-H-EN02-HOR-SF3
 14

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND

P: +64 9 307 1529







COPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RENSURING DETAILS SATISTY ALL INEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RENSURING BUILDING WAPPS, BIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NEZIC REQUIATIONS. REFER TO INSITE WESTER FOR PULL TERMS AND CONDITIONS.

ENCLAD™ TERRACOTTA TILES 30mm - 32mm NOMINAL VENTILATION ZONE (AIR GAP) * 82mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK INSULATION * 50mm INSULATION (OPTION BY INSITE)
* 82mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK INSULATION
INSULATION
* 50mm INSULATION (OPTION BY INSITE)
FIRE STOP (OPTION BY INSITE)
OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 105mm SYSTEM CAVITY FOR 75mm THICK INSULATION
PARTS LIST
ENCLAD TM TERRACOTTA TILE
ENCLAD EN01 ALUMINIUM SUPPORT PROFILE
ENCLAD EN01 ALUMINIUM HELPING HAND BRACKET
ENCLAD EN01 ALUMINIUM TILE CLIP
ENCLAD CLIP FIXING (STAINLESS STEEL)
ENCLAD BRACKET TO RAIL FIXING (STAINLESS STEEL)
ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
ENCLAD THERMAL ISOLATION PAD
ENCLAD ALUMINIUM FLASHING
ENCLAD ALUMINIUM BRACKET
CAVITY INSULATION (OPTION BY INSITE)
BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
ALUMINIUM DOORS, WINDOWS & REVEALS (OPTION BY INSITE)
WALL INSULATION (BY OTHERS)
PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ TERRACOTTA TILES - HORIZONTALLY LAID

Support System:

ENCLAD™ EN02 - HOOK ON SECRET FIXED

Detail Description:

WINDOW SILL DETAIL (SECTION VIEW)


Scale @ A3 : 1:2	Rev.: NOV 2022
System #:	Detail # :
TERRA-H-EN02-HOR-SF3	15


ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND

P: +64 9 307 1529 www.insitefacades.co.nz







RAINSCREEN SYSTEMS

15 WINDOW SILL DETAIL
ENCLADTM TERRACOTTA TILES







BRICKWALL AT BASE DRIP DETAIL ENCLADTM TERRACOTTA TILES

PART OF THE THERMOSASH GROUP COMPANIES :







COPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURRING DETAILS SATIETS VALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARDS. FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REGULATIONS. EFERT OF INSITE WESSIFE FOR FULL TERMS AND CONDITIONS.

	LEGEND		
А	ENCLAD™ TERRACOTTA TILES		
В	30mm - 32mm NOMINAL VENTILATION ZONE (AIR GAP)		
С	* 82mm SYSTEM CAVITY TO ACCOMMODATE 50mm THICK INSULATION		
D	* 50mm INSULATION (OPTION BY INSITE) FIRE STOP (OPTION BY INSITE)		
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) 105mm SYSTEM CAVITY FOR 75mm THICK INSULATION		
	PARTS LIST		
1	ENCLAD TM TERRACOTTA TILE		
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE		
3	ENCLAD EN01 ALUMINIUM HELPING HAND BRACKET		
4	ENCLAD EN01 ALUMINIUM TILE CLIP		
5	ENCLAD CLIP FIXING (STAINLESS STEEL)		
6	ENCLAD BRACKET TO RAIL FIXING (STAINLESS STEEL)		
7	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)		
8	ENCLAD THERMAL ISOLATION PAD		
9	ENCLAD ALUMINIUM FLASHING		
10	CAVITY INSULATION (OPTION BY INSITE)		
11	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)		
12	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)		
13	WALL INSULATION (BY OTHERS)		
14	PLASTER BOARD (BY OTHERS)		

Cladding Type:

ENCLAD™ TERRACOTTA TILES - HORIZONTALLY LAID

Support System:

ENCLAD™ EN02 - HOOK ON SECRET FIXED

Detail Description:

BRICKWALL AT BASE DRIP DETAIL (SECTION VIEW)

Scale @ A3: 1:2	Rev.: NOV 2022
System #:	Detail # :
TERRA-H-EN02-HOR-SF3	16

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND