

ENCLAD ENCLAD GRC - GLASS REINFORCED CONCRETE

ENCLADTM EN06 SUPPORT SYSTEM HOOK ON SECRET FIXED


	DRAWING REGISTER		
PAGE	DETAIL DESCRIPTION	DETAIL#	REV.
00/17	COVER PAGE	00	NOV 22
01/17	CAVITY SET OUT	01	NOV 22
02/17	SCHEMATIC	02	NOV 22
03/17	VERTICAL PANEL JOINT DETAIL (PLAN VIEW)	03	NOV 22
04/17	PANEL MIDSPAN SUPPORT DETAIL (PLAN VIEW)	04	NOV 22
05/17	BRICKWALL ABUTMENT DETAIL (PLAN VIEW)	05	NOV 22
06/17	INTERNAL CORNER PANEL DETAIL (PLAN VIEW)	06	NOV 22
07/17	EXTERNAL CORNER PANEL DETAIL (PLAN VIEW)	07	NOV 22
08/17	WINDOW JAMB DETAIL (PLAN VIEW)	08	NOV 22
09/17	DOOR JAMB DETAIL (PLAN VIEW)	09	NOV 22
10/17	CONCRETE WALL ABUTMENT DETAIL (PLAN VIEW)	10	NOV 22
11/17	HORIZONTAL PANEL JOINT DETAIL (SECTION VIEW)	11	NOV 22
12/17	PARAPET FLASHING DETAIL (SECTION VIEW)	12	NOV 22
13/17	WINDOW HEAD DETAIL (SECTION VIEW)	13	NOV 22
14/17	DOOR HEAD DETAIL (SECTION VIEW)	14	NOV 22
15/17	WINDOW SILL DETAIL (SECTION VIEW)	15	NOV 22
16/17	BRICKWALL AT BASE DRIP DETAIL (SECTION VIEW)	16	NOV 22
17/17	CAVITY SET OUT	17	NOV 22

PART OF THE THERMOSASH GROUP COMPANIES









Cladding Type:

ENCLAD™ GRC -

GLASS REINFORCED CONCRETE

Support System:

ENCLAD™ EN06 - HOOK ON SECRET FIXED

Detail Description: **COVER PAGE**

Scale @ A3: Rev.: NOV 2022 System #: Detail #:

ENCLAD™ RAINSCREEN SYSTEMS




GRC-EN06-HOA-SF4


101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND



EN06 - ADJUSTABLE SYSTEM CAVITY



EN06 MINIMUM SYSTEM CAVITY 115mm



EN06 MAXIMUM SYSTEM CAVITY 140mm

O1 CAVITY SET OUT ENCLADTM GRC PANEL

ADJUSTABLE SYSTEMS ACCOMODATE BUILDING TOLERANCE AND INCORPORATION OF INSULATION FOR H1 REQUIREMENTS - STANDARD SYSTEM CAVITY SHOWN - BESPOKE OPTIONS AVAILABLE FOR PROJECT SPECIFIC REQUIREMENTS

PART OF THE THERMOSASH GROUP COMPANIES







COPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN OF INSITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VAR DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNEE IS RESPONSIBLE FOR ENSURING DETAILS SATISTY ALL INVEY ZELANDA BUILDING CODE CLAUSES. THE DESIGNEE IS RESPONSIBLE FOR ENSURING BUILDING WRAPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NZEC REGULATIONS. REFER TO INSITE WESTER FOR PULIT ERMS AND CONDITIONS.

	LEGEND
Α	ENCLAD [™] GRC PANEL
В	* SYSTEM CAVITY (115mm MIN 140mm MAX.)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)

Cladding Type:

ENCLAD™ GRC -

GLASS REINFORCED CONCRETE

Support System:

ENCLAD™ EN06 - HOOK ON SECRET FIXED

Detail Description:

CAVITY SETOUT (PLAN VIEW)

Scale @ A3 : 1:2.5 Rev. : NOV 2022

System #:

Detail # :

GRC-EN06-HOA-SF4


01

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND





O2 SCHEMATIC ENCLADTM GRC PANEL PART OF THE THERMOSASH GROUP COMPANIES :







COPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURRING DETAILS SATIETS VALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARDS. FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REGULATIONS. EFERT OF INSITE WESSIFE FOR FULL TERMS AND CONDITIONS.

Cladding Type:

ENCLAD™ GRC -

GLASS REINFORCED CONCRETE

Support System:

ENCLAD™ EN06 - HOOK ON SECRET FIXED

Detail Description : SCHEMATIC

 Scale @ A3 : 1:5
 Rev. : NOV 2022

 System # :
 Detail # :


 GRC-EN06-HOA-SF4
 02


ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND







03 VERTICAL PANEL JOINT DETAIL ENCLADTM GRC PANEL

PART OF THE THERMOSASH GROUP COMPANIES :







PYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THE

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NZEE REGULATIONS, REPER TO INSITE WESTER FOR PULL TERMS AND CONDITIONS.

LEGEND		
А	ENCLAD TM GRC PANEL	
В	* SYSTEM CAVITY (115mm MIN 140mm MAX.)	
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)	
	PARTS LIST	
1	ENCLAD TM GRC PANEL	
2	ENCLAD EN06 ALUMINIUM SUPPORT PROFILE	
3	ENCLAD EN06 ALUMINIUM CHANNEL BRACKET	
4	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)	
5	ENCLAD PANEL FIXING (STAINLESS STEEL)	
6	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)	
7	ENCLAD THERMAL ISOLATION PAD	
8	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)	
9	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)	
10	WALL INSULATION (BY OTHERS)	
11	PLASTER BOARD (BY OTHERS)	
	·	

Cladding Type:

ENCLAD™ GRC -

GLASS REINFORCED CONCRETE

Support System:

ENCLAD™ EN06 - HOOK ON SECRET FIXED

Detail Description:

VERTICAL PANEL JOINT DETAIL (PLAN VIEW)

 Scale @ A3 : 1:2.5
 Rev. : NOV 2022

 System # :
 Detail # :

GRC-EN06-HOA-SF4


03


ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND







04 PANEL MIDSPAN SUPPORT DETAIL ENCLADTM GRC PANEL

PART OF THE THERMOSASH GROUP COMPANIES :







'YRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE NSITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VAR'
DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR
ENSURING DETAILS SATSEY ALL HOW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR ENSURING
BUILDING WARPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND
RAZE REGULATIONS. REPER TO INSTITUTE WESTER FOR PULIT ERRINS AND CONDITIONS.

	LEGEND
А	ENCLAD TM GRC PANEL
В	* SYSTEM CAVITY (115mm MIN 140mm MAX.)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)
•	PARTS LIST
1	ENCLAD TM GRC PANEL
2	ENCLAD EN06 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN06 ALUMINIUM CHANNEL BRACKET
4	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)
5	ENCLAD PANEL FIXING (STAINLESS STEEL)
6	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
7	ENCLAD THERMAL ISOLATION PAD
8	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
9	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
10	WALL INSULATION (BY OTHERS)
11	PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ GRC -

GLASS REINFORCED CONCRETE

Support System:

ENCLAD™ EN06 - HOOK ON SECRET FIXED

Detail Description:

PANEL MIDSPAN SUPPORT DETAIL (PLAN VIEW)

Scale @ A3: 1:2.5 Rev.: NOV 2022

System #: Detail #:

GRC-EN06-HOA-SF4


100-HOA-3F4 04


ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND







05 BRICKWALL ABUTMENT DETAIL ENCLADTM GRC PANEL

PART OF THE THERMOSASH GROUP COMPANIES :







YRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS NSITE FACADES LTD

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR ENSURING DETAILS SATISFY ALL HAVE ZEALAND BUILDING CODE CLAUGES. THE DESIGNER IS RESPONSIBLE FOR ENSURING BUILDING WARPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND RUSCE REGULATIONS. REPERT OIL INSITY WESTER FOR FULL TERMS AND CONDITIONS.

	LEGEND
А	ENCLAD [™] GRC PANEL
В	* SYSTEM CAVITY (115mm MIN 140mm MAX.)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)
	PARTS LIST
1	ENCLAD [™] GRC PANEL
2	ENCLAD EN06 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN06 ALUMINIUM CHANNEL BRACKET
4	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)
5	ENCLAD PANEL FIXING (STAINLESS STEEL)
6	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
7	ENCLAD THERMAL ISOLATION PAD
8	ENCLAD PANEL SUPPORTING BRACKET
9	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
10	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
11	WALL INSULATION (BY OTHERS)
12	PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ GRC -

GLASS REINFORCED CONCRETE

Support System:

ENCLAD™ EN06 - HOOK ON SECRET FIXED

Detail Description:

BRICKWALL ABUTMENT DETAIL (PLAN VIEW)

 Scale @ A3 : 1:2.5
 Rev. : NOV 2022

 System # :
 Detail # :

GRC-EN06-HOA-SF4

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND

PART OF THE THERMOSASH GROUP COMPANIES :







COPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VAR'
DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR
ENSURING DETAILS SATSEY ALL HOW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR ENSURING
BUILDING WARPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND
RAZE REGULATIONS. REPER TO INSTITUTE WESTER FOR PULIT ERRINS AND CONDITIONS.

LEGEND		
А	ENCLAD TM GRC PANEL	
В	* SYSTEM CAVITY (115mm MIN 140mm MAX.)	
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)	
	PARTS LIST	
1	ENCLAD TM GRC PANEL	
2	ENCLAD EN06 ALUMINIUM SUPPORT PROFILE	
3	ENCLAD EN06 ALUMINIUM CHANNEL BRACKET	
4	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)	
5	ENCLAD PANEL FIXING (STAINLESS STEEL)	
6	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)	
7	ENCLAD THERMAL ISOLATION PAD	
8	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)	
9	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)	
10	WALL INSULATION (BY OTHERS)	
11	PLASTER BOARD (BY OTHERS)	

Cladding Type:

ENCLAD™ GRC -

GLASS REINFORCED CONCRETE

Support System:

ENCLAD™ EN06 - HOOK ON SECRET FIXED

Detail Description:

INTERNAL CORNER PANEL DETAIL (PLAN VIEW)

 Scale @ A3 : 1:2.5
 Rev. : NOV 2022

 System # :
 Detail # :


GRC-EN06-HOA-SF4

r4 | 00





101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND



PART OF THE THERMOSASH GROUP COMPANIES







DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VAR'
DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR
ENSURING DETAILS SATSEY ALL HOW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR ENSURING
BUILDING WARPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND
RAZE REGULATIONS. REPER TO INSTITUTE WESTER FOR PULIT ERRINS AND CONDITIONS.

	LEGEND
А	ENCLAD TM GRC PANEL
В	* SYSTEM CAVITY (115mm MIN 140mm MAX.)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)
	PARTS LIST
1	ENCLAD [™] GRC PANEL
2	ENCLAD EN06 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN06 ALUMINIUM CHANNEL BRACKET
4	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)
5	ENCLAD PANEL FIXING (STAINLESS STEEL)
6	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
7	ENCLAD THERMAL ISOLATION PAD
8	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
9	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
10	WALL INSULATION (BY OTHERS)
11	PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ GRC -

GLASS REINFORCED CONCRETE

Support System:

ENCLAD™ EN06 - HOOK ON SECRET FIXED

Detail Description:

System #:

EXTERNAL CORNER PANEL DETAIL (PLAN VIEW)

Scale @ A3: 1:2.5 Rev.: NOV 2022

GRC-EN06-HOA-SF4


ENCLAD™ RAINSCREEN SYSTEMS




101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND

Detail #:







08 WINDOW JAMB DETAIL ENCLADTM GRC PANEL

PART OF THE THERMOSASH GROUP COMPANIES :







PYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN,

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CALUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REQUIATIONS. FERET OF INSITE WESSIFE FOR FULL TERMS AND CONDITIONS.

LEGEND		
А	ENCLAD TM GRC PANEL	
В	* SYSTEM CAVITY (115mm MIN 140mm MAX.)	
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)	
	PARTS LIST	
1	ENCLAD TM GRC PANEL	
2	ENCLAD EN06 ALUMINIUM SUPPORT PROFILE	
3	ENCLAD EN06 ALUMINIUM CHANNEL BRACKET	
4	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)	
5	ENCLAD PANEL FIXING (STAINLESS STEEL)	
6	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)	
7	ENCLAD THERMAL ISOLATION PAD	
8	ENCLAD ALUMINIUM CLOSURE ANGLE	
9	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)	
10	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)	
11	ALUMINIUM DOORS, WINDOWS & REVEALS (OPTION BY INSITE)	
12	WALL INSULATION (BY OTHERS)	
13	PLASTER BOARD (BY OTHERS)	
	-	

Cladding Type:

ENCLAD™ GRC -

GLASS REINFORCED CONCRETE

Support System:

ENCLAD™ EN06 - HOOK ON SECRET FIXED

Detail Description:

PANEL JAMB DETAIL (PLAN VIEW)


Scale @ A3: 1:2.5	Rev.: NOV 2022
System #:	Detail # :


ENCLAD™ RAINSCREEN SYSTEMS



GRC-EN06-HOA-SF4

101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND





DOOR JAMB DETAIL ENCLADTM GRC PANEL PART OF THE THERMOSASH GROUP COMPANIES







DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VAR'
DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR
ENSURING DETAILS SATSEY ALL HOW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR ENSURING
BUILDING WARPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND
RAZE REGULATIONS. REPER TO INSTITUTE WESTER FOR PULIT ERRINS AND CONDITIONS.

	LEGEND
А	ENCLAD TM GRC PANEL
В	* SYSTEM CAVITY (115mm MIN 140mm MAX.)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)
·	PARTS LIST
1	ENCLAD™ GRC PANEL
2	ENCLAD EN06 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN06 ALUMINIUM CHANNEL BRACKET
4	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)
5	ENCLAD PANEL FIXING (STAINLESS STEEL)
6	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
7	ENCLAD THERMAL ISOLATION PAD
8	ENCLAD ALUMINIUM CLOSURE ANGLE
9	ENCLAD PANEL SUPPORTING BRACKET
10	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
11	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
12	ALUMINIUM DOORS, WINDOWS & REVEALS (OPTION BY INSITE)
13	WALL INSULATION (BY OTHERS)
14	PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ GRC -

GLASS REINFORCED CONCRETE

Support System:

ENCLAD™ EN06 - HOOK ON SECRET FIXED

Detail Description:

DOOR JAMB DETAIL (PLAN VIEW)


Scale @ A3: 1:2.5 Rev.: NOV 2022 System #: Detail #: GRC-EN06-HOA-SF4


ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND







10 CONCRETE WALL ABUTMENT DETAIL ENCLADTM GRC PANEL

PART OF THE THERMOSASH GROUP COMPANIES :







PYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, INSITE FACADES LTD.

DISCLAIMMEN: THESE DETAILS ARE PROVIDED FOR NOLTHE PURPOSES ONLY. CONSTRUCT LOWS/STEM DETAILS CAN DEPENDING ON PROJECT SPECIFICS SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FENSURING DETAILS SATISFY ALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR ENSURING BUILDING WRAPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND ENTER WEBSITE FOR FULL TERMS AND CONDITIONS.

	LEGEND
А	ENCLAD TM GRC PANEL
В	* SYSTEM CAVITY (115mm MIN 140mm MAX.)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)
	PARTS LIST
1	ENCLAD TM GRC PANEL
2	ENCLAD EN06 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN06 ALUMINIUM CHANNEL BRACKET
4	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)
5	ENCLAD PANEL FIXING (STAINLESS STEEL)
6	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
7	ENCLAD THERMAL ISOLATION PAD
8	ENCLAD PANEL SUPPORTING BRACKET
9	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
10	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
11	WALL INSULATION (BY OTHERS)
12	PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ GRC -

GLASS REINFORCED CONCRETE

Support System:

ENCLAD™ EN06 - HOOK ON SECRET FIXED

Detail Description:

CONCRETE WALL ABUTMENT DETAIL (PLAN VIEW)

 Scale @ A3 : 1:2.5
 Rev. : NOV 2022

 System # :
 Detail # :

GRC-EN06-HOA-SF4


51(6 21(66 1)67(5) 1


ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND







HORIZONTAL PANEL JOINT DETAIL ENCLADTM GRC PANEL

PART OF THE THERMOSASH GROUP COMPANIES :







'YRIGHT : THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPY NSITE FACADES LTD

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NZEE REGULATIONS, REPER TO INSITE WESTER FOR PULL TERMS AND CONDITIONS.

	LEGEND
А	ENCLAD™ GRC PANEL
В	* SYSTEM CAVITY (115mm MIN 140mm MAX.)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)
	PARTS LIST
1	ENCLAD™ GRC PANEL
2	ENCLAD EN06 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN06 ALUMINIUM CHANNEL BRACKET
4	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)
5	ENCLAD PANEL FIXING (STAINLESS STEEL)
6	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
7	ENCLAD THERMAL ISOLATION PAD
8	ENCLAD PANEL SUPPORTING BRACKET
9	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
10	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
11	WALL INSULATION (BY OTHERS)
12	PLASTER BOARD (BY OTHERS)
\neg	

Cladding Type:

ENCLAD™ GRC -

GLASS REINFORCED CONCRETE

Support System:

ENCLAD™ EN06 - HOOK ON SECRET FIXED

Detail Description:

HORIZONTAL PANEL JOINT DETAIL (SECTION VIEW)

 Scale @ A3 : 1:2.5
 Rev. : NOV 2022

 System # :
 Detail # :

GRC-EN06-HOA-SF4

L-ENU6-HOA-SF4

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND







COPYRIGHT : THESE DESIGNS,

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION, SYSTEM DETAILS CAN VAR'
DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR
ENSURING DETAILS SATSFY ALL HAVE ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR ENSURING
BUILDING WARPS, FIRESTOPS AND INSULATION, SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND
NAZE REGULATIONS. REPER TO INSIST WEBSITE FOR FULL TERMS AND CONDITIONS.

	LEGEND
Α	ENCLAD™ GRC PANEL
В	* SYSTEM CAVITY (115mm MIN 140mm MAX.)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)
·	PARTS LIST
1	ENCLAD™ GRC PANEL
2	ENCLAD EN06 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN06 ALUMINIUM CHANNEL BRACKET
4	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)
5	ENCLAD PANEL FIXING (STAINLESS STEEL)
6	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
7	ENCLAD THERMAL ISOLATION PAD
8	ENCLAD ALUMINIUM FLASHING
9	ENCLAD ALUMINIUM BRACKET
10	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
11	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
12	WALL INSULATION (BY OTHERS)
13	PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ GRC -

GLASS REINFORCED CONCRETE

Support System:

ENCLAD™ EN06 - HOOK ON SECRET FIXED

Detail Description:

PARAPET FLASHING DETAIL (SECTION VIEW)

 Scale @ A3 : 1:2.5
 Rev. : NOV 2022

 System # :
 Detail # :


ENCLAD™ RAINSCREEN SYSTEMS


GRC-EN06-HOA-SF4



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND

P: +64 9 307 1529 www.insitefacades.co.nz





PARAPET FLASHING DETAIL ENCLADTM GRC PANEL







COPYRIGHT : THESE DESIGNS,

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NZEE REGULATIONS, REPER TO INSITE WESTER FOR PULL TERMS AND CONDITIONS.

LEGEND	
А	ENCLAD™ GRC PANEL
В	* SYSTEM CAVITY (115mm MIN 140mm MAX.)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)
	PARTS LIST
1	ENCLAD™ GRC PANEL
2	ENCLAD EN06 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN06 ALUMINIUM CHANNEL BRACKET
4	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)
5	ENCLAD PANEL FIXING (STAINLESS STEEL)
6	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
7	ENCLAD THERMAL ISOLATION PAD
8	ENCLAD ALUMINIUM FLASHING
9	ENCLAD PANEL SUPPORTING BRACKET
10	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
11	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
12	ALUMINIUM DOORS, WINDOWS & REVEALS (OPTION BY INSITE)
13	WALL INSULATION (BY OTHERS)
14	PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ GRC -

GLASS REINFORCED CONCRETE

Support System:

ENCLAD™ EN06 - HOOK ON SECRET FIXED

Detail Description:

WINDOW HEAD DETAIL (SECTION VIEW)

 Scale @ A3 : 1:2.5
 Rev. : NOV 2022

 System # :
 Detail # :


 GRC-EN06-HOA-SF4
 13


ENCLAD™ RAINSCREEN SYSTEMS






P: +64 9 307 1529 www.insitefacades.co.nz






WINDOW HEAD DETAIL ENCLADTM GRC PANEL







DOOR HEAD DETAIL
ENCLADTM GRC PANEL

PART OF THE THERMOSASH GROUP COMPANIES :







OPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMA IF INSITE FACADES I TO

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REGULATIONS. SEREET OI INSITE WEBSITE FOR FULL TERMS AND CONDITIONS.

	LEGEND
А	ENCLAD™ GRC PANEL
В	* SYSTEM CAVITY (115mm MIN 140mm MAX.)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)
	PARTS LIST
1	ENCLAD TM GRC PANEL
2	ENCLAD EN06 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN06 ALUMINIUM CHANNEL BRACKET
4	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)
5	ENCLAD PANEL FIXING (STAINLESS STEEL)
6	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
7	ENCLAD THERMAL ISOLATION PAD
8	ENCLAD ALUMINIUM FLASHING
9	ENCLAD PANEL SUPPORTING BRACKET
10	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
11	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
12	ALUMINIUM DOORS, WINDOWS & REVEALS (OPTION BY INSITE)
13	WALL INSULATION (BY OTHERS)
14	PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ GRC -

GLASS REINFORCED CONCRETE

Support System:

ENCLAD™ EN06 - HOOK ON SECRET FIXED

Detail Description:

DOOR HEAD DETAIL (SECTION VIEW)

Scale @ A3: 1:2.5 Rev.: NOV 2022

System #: Detail #:

GRC-EN06-HOA-SF4

14

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND







COPYRIGHT: THESE DESIGNS, DETA

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NZEE REGULATIONS, REPER TO INSITE WESTER FOR PULL TERMS AND CONDITIONS.

	LEGEND
А	ENCLAD TM GRC PANEL
В	* SYSTEM CAVITY (115mm MIN 140mm MAX.)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)
·	PARTS LIST
1	ENCLAD™ GRC PANEL
2	ENCLAD EN06 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN06 ALUMINIUM CHANNEL BRACKET
4	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)
5	ENCLAD PANEL FIXING (STAINLESS STEEL)
6	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
7	ENCLAD THERMAL ISOLATION PAD
8	ENCLAD ALUMINIUM FLASHING
9	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
10	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
11	ALUMINIUM DOORS, WINDOWS & REVEALS (OPTION BY INSITE)
12	WALL INSULATION (BY OTHERS)
13	PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ GRC -

GLASS REINFORCED CONCRETE

Support System:

ENCLAD™ EN06 - HOOK ON SECRET FIXED

Detail Description:


WINDOW SILL DETAIL (SECTION VIEW)

Scale @ A3: 1:2.5	Rev.: NOV 2022
System #:	Detail # :
GRC-EN06-HOA-SF4	15


ENCLAD™ RAINSCREEN SYSTEMS




101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND









BRICKWALL AT BASE DRIP DETAIL ENCLADTM GRC PANEL

PART OF THE THERMOSASH GROUP COMPANIES :







PYRIGHT: THESE DESIGNS, DETAILS AND/OR SP

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURRING DETAILS SATIETS VALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARDS. FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REGULATIONS. EFERT OF INSITE WESSIFE FOR FULL TERMS AND CONDITIONS.

	LEGEND
А	ENCLAD™ GRC PANEL
В	* SYSTEM CAVITY (115mm MIN 140mm MAX.)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)
	PARTS LIST
1	ENCLAD TM GRC PANEL
2	ENCLAD EN06 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN06 ALUMINIUM CHANNEL BRACKET
4	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)
5	ENCLAD PANEL FIXING (STAINLESS STEEL)
6	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
7	ENCLAD THERMAL ISOLATION PAD
8	ENCLAD ALUMINIUM FLASHING
9	ENCLAD PANEL SUPPORTING BRACKET
10	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
11	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
12	WALL INSULATION (BY OTHERS)
13	PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ GRC -

GLASS REINFORCED CONCRETE

Support System:

ENCLAD™ EN06 - HOOK ON SECRET FIXED

Detail Description:

BRICKWALL AT BASE DRIP DETAIL (SECTION VIEW)

 Scale @ A3 : 1:2.5
 Rev. : NOV 2022

 System # :
 Detail # :

GRC-EN06-HOA-SF4


ENCLAD™ RAINSCREEN SYSTEMS




101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND



EN05-FF - ADJUSTABLE SYSTEM CAVITY



EN05-FF MINIMUM SYSTEM CAVITY 158mm



EN05-FF MINIMUM SYSTEM CAVITY 183mm



ADJUSTABLE SYSTEMS ACCOMODATE BUILDING TOLERANCE AND INCORPORATION OF INSULATION FOR H1 REQUIREMENTS - STANDARD SYSTEM CAVITY SHOWN - BESPOKE OPTIONS AVAILABLE FOR PROJECT SPECIFIC REQUIREMENTS

PART OF THE THERMOSASH GROUP COMPANIES







COPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROP OF INSTITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VAR DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR ENSURING DETAILS SATISFY ALL HAVE ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR ENSURING BUILDING WARPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND LANGE REGULATIONS. REPER TO INSITE WEBSITE FOR FULL TERMS AND CONDITIONS.

	LEGEND
А	ENCLAD [™] GRC PANEL
В	* SYSTEM CAVITY (158mm MIN 183mm MAX.)
	OTHER ORTIONS AVAILABLE (PROJECT SPECIFIC)

Cladding Type:

ENCLAD™ GRC -

GLASS REINFORCED CONCRETE

Support System:

ENCLAD™ EN05-FF - HOOK ON SECRET FIXED

Detail Description:

CAVITY SETOUT (PLAN VIEW)

Scale @ A3 : 1:2.5 Rev. : NOV 2022

System #:

GRC-EN05-FF-HOA-SF4

Detail # :

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND