

ENCLADTM PORCELAIN TILES

ENCLADTM EN05-FF SUPPORT SYSTEM HOOK ON SECRET FIXED

DRAWING REGISTER			
PAGE	DETAIL DESCRIPTION	DETAIL#	REV.
00/16	COVER PAGE	00	NOV 22
01/16	CAVITY SET OUT	01	NOV 22
02/16	SCHEMATIC	02	NOV 22
03/16	VERTICAL PANEL JOINT DETAIL (PLAN VIEW)	03	NOV 22
04/16	BRICKWALL ABUTMENT DETAIL (PLAN VIEW)	04	NOV 22
05/16	INTERNAL CORNER PANEL DETAIL (PLAN VIEW)	05	NOV 22
06/16	EXTERNAL CORNER PANEL DETAIL (PLAN VIEW)	06	NOV 22
07/16	WINDOW JAMB DETAIL (PLAN VIEW)	07	NOV 22
08/16	DOOR JAMB DETAIL (PLAN VIEW)	08	NOV 22
09/16	CONCRETE WALL ABUTMENT DETAIL (PLAN VIEW)	09	NOV 22
10/16	HORIZONTAL PANEL JOINT DETAIL (SECTION VIEW)	10	NOV 22
11/16	PARAPET FLASHING DETAIL (SECTION VIEW)	11	NOV 22
12/16	WINDOW HEAD DETAIL (SECTION VIEW)	12	NOV 22
13/16	DOOR HEAD DETAIL (SECTION VIEW)	13	NOV 22
14/16	WINDOW SILL DETAIL (SECTION VIEW)	14	NOV 22
15/16	BRICKWALL AT BASE DRIP DETAIL (SECTION VIEW)	15	NOV 22
16/16	FLOOR TO FLOOR PANEL JOINT (PLAN & SECTION VIEW)	16	NOV 22

PART OF THE THERMOSASH GROUP COMPANIES








COPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPE OF INSTITE FACADES I TD

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARM DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR ENSURING DETAILS SATISFY ALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR ENSURING BUILDING WARDS, RESETORS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTUREDS RECOMMENDATIONS AND NZBC REGULATIONS. REFER TO INSITE WEBSITE FOR FULL TERMS AND CONDITIONS.



Cladding Type:

ENCLAD™ PORCELAIN TILES

Support System:

ENCLAD™ EN05-FF - HOOK ON SECRET FIXED

Detail Description:

COVER PAGE

 Scale @ A3 :
 Rev. : NOV 2022

 System # :
 Detail # :

PORC-EN05-FF-HOE-SF6


ENCLAD™ RAINSCREEN SYSTEMS




101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND



EN05 - FF - ADJUSTABLE SYSTEM CAVITY



EN05 - FF MINIMUM SYSTEM CAVITY 128mm



EN05 - FF MAXIMUM SYSTEM CAVITY 152mm

CAVITY SET OUT ENCLADTM PORCELAIN TILES

ADJUSTABLE SYSTEMS ACCOMODATE BUILDING TOLERANCE AND INCORPORATION OF INSULATION FOR H1 REQUIREMENTS - STANDARD SYSTEM CAVITY SHOWN -BESPOKE OPTIONS AVAILABLE FOR PROJECT SPECIFIC REQUIREMENTS

PART OF THE THERMOSASH GROUP COMPANIES







	LEGEND
Α	ENCLAD [™] PORCELAIN TILES
В	* SYSTEM CAVITY (128mm MIN 152mm MAX.)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIEIC)

Cladding Type:

ENCLAD™ PORCELAIN TILES

Support System:

ENCLAD™ EN05-FF - HOOK ON SECRET FIXED

Detail Description:

System #:

CAVITY SETOUT (PLAN VIEW)

Scale @ A3: 1:2.5 Rev.: NOV 2022

PORC-EN05-FF-HOE-SF6

01






101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND

Detail #:





O2 SCHEMATIC ENCLADTM PORCELAIN TILES PART OF THE THERMOSASH GROUP COMPANIES :







COPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CALUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REQUIATIONS. FERET OF INSITE WESSIFE FOR FULL TERMS AND CONDITIONS.

Cladding Type:

ENCLAD™ PORCELAIN TILES

Support System:

ENCLAD™ EN05-FF - HOOK ON SECRET FIXED

Detail Description:

SCHEMATIC

Scale @ A3:	1:5	Rev.: NOV 2022
System #:		Detail # ·

PORC-EN05-FF-HOE-SF6

ENCLAD™ RAINSCREEN SYSTEMS











OPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPEC OF INSITE FACADES LTD

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURRING DETAILS SATISTY ALL NEW ZELANDA BUILLIONG CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RESURRING BUILDING WAPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NEZE REGULATIONS REPER TO INSITY WESTER FOR PULL TERMS AND CONDITIONS.

	LEGEND
А	ENCLAD TM PORCELAIN TILES
В	* SYSTEM CAVITY (128mm MIN 152mm MAX.)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)
	PARTS LIST
1	ENCLAD TM PORCELAIN TILE
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN01 ALUMINIUM STRONG BACK PROFILE
4	ENCLAD EN01 ALUMINIUM CHANNEL PROFILE
5	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)
6	ENCLAD GASKET
7	ENCLAD FIXING FOR CHANNEL PROFILE (STAINLESS STEEL)
8	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
9	ENCLAD THERMAL ISOLATION PAD
10	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
11	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
12	WALL INSULATION (BY OTHERS)
13	PLASTER BOARD (BY OTHERS)
	·

Cladding Type:

ENCLAD™ PORCELAIN TILES

Support System:

ENCLAD™ EN05-FF - HOOK ON SECRET FIXED

Detail Description:

VERTICAL PANEL JOINT DETAIL (PLAN VIEW)

 Scale @ A3 : 1:2
 Rev. : NOV 2022


 System # :
 Detail # :

 PORC-EN05-FF-HOE-SF6
 03

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND









DPYRIGHT : THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMA F INSITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURRING DETAILS SATISTY ALL NEW ZELANDA BUILLIONG CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RESURRING BUILDING WAPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NEZE REGULATIONS REPER TO INSITY WESTER FOR PULL TERMS AND CONDITIONS.

	LEGEND
А	ENCLAD TM PORCELAIN TILES
В	* SYSTEM CAVITY (128mm MIN 152mm MAX.)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)
•	PARTS LIST
1	ENCLAD™ PORCELAIN TILE
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN01 ALUMINIUM STRONG BACK PROFILE
4	ENCLAD EN01 ALUMINIUM CHANNEL PROFILE
5	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)
6	ENCLAD ALUMINIUM CLOSURE
7	ENCLAD FIXING FOR CHANNEL PROFILE (STAINLESS STEEL)
8	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
9	ENCLAD THERMAL ISOLATION PAD
10	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
11	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
12	WALL INSULATION (BY OTHERS)
13	PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ PORCELAIN TILES

Support System:

ENCLAD™ EN05-FF - HOOK ON SECRET FIXED

Detail Description:

BRICKWALL ABUTMENT DETAIL (PLAN VIEW)

 Scale @ A3 : 1:2
 Rev. : NOV 2022

 System # :
 Detail # :

PORC-EN05-FF-HOE-SF6

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND







DPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAINSTER FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CALUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REQUIATIONS. FERET OF INSITE WESSIFE FOR FULL TERMS AND CONDITIONS.

	LEGEND
А	ENCLAD™ PORCELAIN TILES
В	* SYSTEM CAVITY (128mm MIN 152mm MAX.)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)
	PARTS LIST
1	ENCLAD™ PORCELAIN TILE
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN01 ALUMINIUM STRONG BACK PROFILE
4	ENCLAD EN01 ALUMINIUM CHANNEL PROFILE
5	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)
6	ENCLAD GASKET
7	ENCLAD FIXING FOR CHANNEL PROFILE (STAINLESS STEEL)
8	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
9	ENCLAD THERMAL ISOLATION PAD
10	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
11	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
12	WALL INSULATION (BY OTHERS)
13	PLASTER BOARD (BY OTHERS)
- 1	

Cladding Type:

ENCLAD™ PORCELAIN TILES

Support System:

ENCLAD™ EN05-FF - HOOK ON SECRET FIXED

Detail Description:

INTERNAL CORNER PANEL DETAIL (PLAN VIEW)

 Scale @ A3 : 1:2.5
 Rev. : NOV 2022

 System # :
 Detail # :

 PORC-EN05-FF-HOE-SF6
 05

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND





COPYRIGHT: THESE DESIGNS, DET

DISCLAMMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VAI DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IT RESPONSIBLE FOR ENSURING DETAILS SATISFY ALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR ENSURING BUILDING WRAPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AN NZBC REGULATIONS. REFER TO INSITE WESSITE FOR FULL TERMS AND CONDITIONS.

A ENCLADTM PORCELAIN TILES B *SYSTEM CAVITY (128mm MIN 152mm MAX.) * OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) PARTS LIST 1 ENCLADTM PORCELAIN TILE 2 ENCLAD EN01 ALUMINIUM SUPPORT PROFILE 3 ENCLAD EN01 ALUMINIUM STRONG BACK PROFILE 4 ENCLAD EN01 ALUMINIUM CHANNEL PROFILE 5 ENCLAD FIXING FOR HOOK (STAINLESS STEEL) 6 ENCLAD ALUMINIUM CLOSURE 7 ENCLAD FIXING FOR CHANNEL PROFILE (STAINLESS STEEL) 8 ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL) 9 ENCLAD THERMAL ISOLATION PAD 10 ENCLAD ALUMINIUM SUPPORT PROFILE 11 BUILDING WRAP / MEMBRANE (OPTION BY INSITE) 12 RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE) 13 WALL INSULATION (BY OTHERS) 14 PLASTER BOARD (BY OTHERS)		LEGEND
* OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC) **PARTS LIST** 1	А	ENCLAD TM PORCELAIN TILES
PARTS LIST 1 ENCLAD TM PORCELAIN TILE 2 ENCLAD EN01 ALUMINIUM SUPPORT PROFILE 3 ENCLAD EN01 ALUMINIUM STRONG BACK PROFILE 4 ENCLAD EN01 ALUMINIUM CHANNEL PROFILE 5 ENCLAD FIXING FOR HOOK (STAINLESS STEEL) 6 ENCLAD ALUMINIUM CLOSURE 7 ENCLAD FIXING FOR CHANNEL PROFILE (STAINLESS STEEL) 8 ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL) 9 ENCLAD THERMAL ISOLATION PAD 10 ENCLAD ALUMINIUM SUPPORT PROFILE 11 BUILDING WRAP / MEMBRANE (OPTION BY INSITE) 12 RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE) 13 WALL INSULATION (BY OTHERS)	В	* SYSTEM CAVITY (128mm MIN 152mm MAX.)
1 ENCLAD TM PORCELAIN TILE 2 ENCLAD EN01 ALUMINIUM SUPPORT PROFILE 3 ENCLAD EN01 ALUMINIUM STRONG BACK PROFILE 4 ENCLAD EN01 ALUMINIUM CHANNEL PROFILE 5 ENCLAD FIXING FOR HOOK (STAINLESS STEEL) 6 ENCLAD ALUMINIUM CLOSURE 7 ENCLAD FIXING FOR CHANNEL PROFILE (STAINLESS STEEL) 8 ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL) 9 ENCLAD THERMAL ISOLATION PAD 10 ENCLAD ALUMINIUM SUPPORT PROFILE 11 BUILDING WRAP / MEMBRANE (OPTION BY INSITE) 12 RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE) 13 WALL INSULATION (BY OTHERS)	*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)
2 ENCLAD EN01 ALUMINIUM SUPPORT PROFILE 3 ENCLAD EN01 ALUMINIUM STRONG BACK PROFILE 4 ENCLAD EN01 ALUMINIUM CHANNEL PROFILE 5 ENCLAD FIXING FOR HOOK (STAINLESS STEEL) 6 ENCLAD ALUMINIUM CLOSURE 7 ENCLAD FIXING FOR CHANNEL PROFILE (STAINLESS STEEL) 8 ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL) 9 ENCLAD THERMAL ISOLATION PAD 10 ENCLAD ALUMINIUM SUPPORT PROFILE 11 BUILDING WRAP / MEMBRANE (OPTION BY INSITE) 12 RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE) 13 WALL INSULATION (BY OTHERS)	·	PARTS LIST
3 ENCLAD EN01 ALUMINIUM STRONG BACK PROFILE 4 ENCLAD EN01 ALUMINIUM CHANNEL PROFILE 5 ENCLAD FIXING FOR HOOK (STAINLESS STEEL) 6 ENCLAD ALUMINIUM CLOSURE 7 ENCLAD FIXING FOR CHANNEL PROFILE (STAINLESS STEEL) 8 ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL) 9 ENCLAD THERMAL ISOLATION PAD 10 ENCLAD ALUMINIUM SUPPORT PROFILE 11 BUILDING WRAP / MEMBRANE (OPTION BY INSITE) 12 RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE) 13 WALL INSULATION (BY OTHERS)	1	ENCLAD TM PORCELAIN TILE
4 ENCLAD EN01 ALUMINIUM CHANNEL PROFILE 5 ENCLAD FIXING FOR HOOK (STAINLESS STEEL) 6 ENCLAD ALUMINIUM CLOSURE 7 ENCLAD FIXING FOR CHANNEL PROFILE (STAINLESS STEEL) 8 ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL) 9 ENCLAD THERMAL ISOLATION PAD 10 ENCLAD ALUMINIUM SUPPORT PROFILE 11 BUILDING WRAP / MEMBRANE (OPTION BY INSITE) 12 RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE) 13 WALL INSULATION (BY OTHERS)	2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE
5 ENCLAD FIXING FOR HOOK (STAINLESS STEEL) 6 ENCLAD ALUMINIUM CLOSURE 7 ENCLAD FIXING FOR CHANNEL PROFILE (STAINLESS STEEL) 8 ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL) 9 ENCLAD THERMAL ISOLATION PAD 10 ENCLAD ALUMINIUM SUPPORT PROFILE 11 BUILDING WRAP / MEMBRANE (OPTION BY INSITE) 12 RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE) 13 WALL INSULATION (BY OTHERS)	3	ENCLAD EN01 ALUMINIUM STRONG BACK PROFILE
6 ENCLAD ALUMINIUM CLOSURE 7 ENCLAD FIXING FOR CHANNEL PROFILE (STAINLESS STEEL) 8 ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL) 9 ENCLAD THERMAL ISOLATION PAD 10 ENCLAD ALUMINIUM SUPPORT PROFILE 11 BUILDING WRAP / MEMBRANE (OPTION BY INSITE) 12 RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE) 13 WALL INSULATION (BY OTHERS)	4	ENCLAD EN01 ALUMINIUM CHANNEL PROFILE
7 ENCLAD FIXING FOR CHANNEL PROFILE (STAINLESS STEEL) 8 ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL) 9 ENCLAD THERMAL ISOLATION PAD 10 ENCLAD ALUMINIUM SUPPORT PROFILE 11 BUILDING WRAP / MEMBRANE (OPTION BY INSITE) 12 RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE) 13 WALL INSULATION (BY OTHERS)	5	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)
8 ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL) 9 ENCLAD THERMAL ISOLATION PAD 10 ENCLAD ALUMINIUM SUPPORT PROFILE 11 BUILDING WRAP / MEMBRANE (OPTION BY INSITE) 12 RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE) 13 WALL INSULATION (BY OTHERS)	6	ENCLAD ALUMINIUM CLOSURE
9 ENCLAD THERMAL ISOLATION PAD 10 ENCLAD ALUMINIUM SUPPORT PROFILE 11 BUILDING WRAP / MEMBRANE (OPTION BY INSITE) 12 RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE) 13 WALL INSULATION (BY OTHERS)	7	ENCLAD FIXING FOR CHANNEL PROFILE (STAINLESS STEEL)
10 ENCLAD ALUMINIUM SUPPORT PROFILE 11 BUILDING WRAP / MEMBRANE (OPTION BY INSITE) 12 RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE) 13 WALL INSULATION (BY OTHERS)	8	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
BUILDING WRAP / MEMBRANE (OPTION BY INSITE) RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE) WALL INSULATION (BY OTHERS)	9	ENCLAD THERMAL ISOLATION PAD
12 RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE) 13 WALL INSULATION (BY OTHERS)	10	ENCLAD ALUMINIUM SUPPORT PROFILE
13 WALL INSULATION (BY OTHERS)	11	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
· · · · · ·	12	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
14 PLASTER BOARD (BY OTHERS)	13	WALL INSULATION (BY OTHERS)
	14	PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ PORCELAIN TILES

Support System:

ENCLAD™ EN05-FF - HOOK ON SECRET FIXED

Detail Description:

EXTERNAL CORNER PANEL DETAIL (PLAN VIEW)


Scale @ A3: 1:2.5	Rev.: NOV 2022
System #:	Detail # :
PORC-EN05-FF-HOE-SF6	06


ENCLAD™ RAINSCREEN SYSTEMS





P: +64 9 307 1529 www.insitefacades.co.nz





06 EXTERNAL CORNER PANEL DETAIL ENCLADTM PORCELAIN TILES







RIGHT : THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, R SITE FACADES LTD

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RENSURING DETAILS SATISTY ALL INEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RENSURING BUILDING WAPPS, BIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NEZIC REQUIATIONS. REFER TO INSITE WESTER FOR PULL TERMS AND CONDITIONS.

	LEGEND
Α	ENCLAD [™] PORCELAIN TILES
В	* SYSTEM CAVITY (128mm MIN 152mm MAX.)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)
•	PARTS LIST
1	ENCLAD™ PORCELAIN TILE
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN01 ALUMINIUM STRONG BACK PROFILE
4	ENCLAD EN01 ALUMINIUM CHANNEL PROFILE
5	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)
6	ENCLAD ALUMINIUM CLOSURE
7	ENCLAD FIXING FOR CHANNEL PROFILE (STAINLESS STEEL)
8	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
9	ENCLAD THERMAL ISOLATION PAD
10	ENCLAD ALUMINIUM SUPPORT PROFILE
11	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
12	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
12	ALUMINIUM DOORS, WINDOWS & REVEALS (OPTION BY INSITE)
14	WALL INSULATION (BY OTHERS)
15	PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ PORCELAIN TILES

Support System:

ENCLAD™ EN05-FF - HOOK ON SECRET FIXED

Detail Description:

WINDOW JAMB DETAIL (PLAN VIEW)

 Scale @ A3 : 1:2
 Rev. : NOV 2022

 System # :
 Detail # :

PORC-EN05-FF-HOE-SF6

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND







YRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE NSITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND DESIGNERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RENSURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RENSURING BUILDING WARDS. STRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REGULATIONS. REFER TO INSITE WESSITE FOR PULL TERMS AND CONDITIONS.

	LEGEND
А	ENCLAD TM PORCELAIN TILES
В	* SYSTEM CAVITY (128mm MIN 152mm MAX.)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)
	PARTS LIST
1	ENCLAD TM PORCELAIN TILE
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN01 ALUMINIUM STRONG BACK PROFILE
4	ENCLAD EN01 ALUMINIUM CHANNEL PROFILE
5	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)
6	ENCLAD ALUMINIUM CLOSURE
7	ENCLAD FIXING FOR CHANNEL PROFILE (STAINLESS STEEL)
8	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
9	ENCLAD THERMAL ISOLATION PAD
10	ENCLAD ALUMINIUM SUPPORT PROFILE
11	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
12	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
13	ALUMINIUM DOORS, WINDOWS & REVEALS (OPTION BY INSITE)
14	WALL INSULATION (BY OTHERS)
15	PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ PORCELAIN TILES

Support System:

ENCLAD™ EN05-FF - HOOK ON SECRET FIXED

Detail Description :

DOOR JAMB DETAIL (PLAN VIEW)

Scale @ A3 : 1:2	Rev.: NOV 2022
System #:	Detail # :
PORC-EN05-FF-HOE-SF6	08

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND







YRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND

DISCLAIMER: 1 THES LOT ALLS ARE PROVIDED FOR MIDICATIVE PURPOSES ONLY. CONSTIUCTION/SYSTEM DETAILS CAN V. DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE E INSURING DETAILS SATISFY ALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR ENSURING BUILDING WRAPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS A INFORE REGULATIONS. REFER TO INSITE WRISTIF FOR FILLI TERMS AND CONDITIONS.

	LEGEND
А	ENCLAD TM PORCELAIN TILES
В	* SYSTEM CAVITY (128mm MIN 152mm MAX.)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)
	PARTS LIST
1	ENCLAD TM PORCELAIN TILE
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN01 ALUMINIUM STRONG BACK PROFILE
4	ENCLAD EN01 ALUMINIUM CHANNEL PROFILE
5	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)
6	ENCLAD ALUMINIUM CLOSURE
7	ENCLAD FIXING FOR CHANNEL PROFILE (STAINLESS STEEL)
8	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
9	ENCLAD THERMAL ISOLATION PAD
10	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
11	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
12	WALL INSULATION (BY OTHERS)
13	PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ PORCELAIN TILES

Support System:

ENCLAD™ EN05-FF - HOOK ON SECRET FIXED

Detail Description:


CONCRETE WALL ABUTMENT DETAIL (PLAN VIEW)

Scale @ A3 : 1:2	Rev.: NOV 2022
System #:	Detail # :
PORC-EN05-FF-HOF-SF6	09

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND









'YRIGHT : THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE F NSITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURRING DETAILS SATIETS VALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARDS. FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REGULATIONS. EFERT OF INSITE WESSIFE FOR FULL TERMS AND CONDITIONS.

	LEGEND
А	ENCLAD™ PORCELAIN TILES
В	* SYSTEM CAVITY (128mm MIN 152mm MAX.)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)
·	PARTS LIST
1	ENCLAD TM PORCELAIN TILE
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN01 ALUMINIUM STRONG BACK PROFILE
4	ENCLAD EN01 ALUMINIUM CHANNEL PROFILE
5	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)
6	ENCLAD GASKET
7	ENCLAD FIXING FOR CHANNEL PROFILE (STAINLESS STEEL)
8	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
9	ENCLAD THERMAL ISOLATION PAD
10	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
11	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
12	WALL INSULATION (BY OTHERS)
13	PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ PORCELAIN TILES

Support System:

ENCLAD™ EN05-FF - HOOK ON SECRET FIXED

Detail Description:

HORIZONTAL PANEL JOINT DETAIL(SECTION VIEW)

Scale @ A3 : 1:2	Rev.: NOV 2022		
System #:	Detail # :		
PORC-EN05-FF-HOE-SF6	10		

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND





YRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURRING DETAILS SATIETS VALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARDS. FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REGULATIONS. EFERT OF INSITE WESSIFE FOR FULL TERMS AND CONDITIONS.

LEGEND			
А	A ENCLAD TM PORCELAIN TILES		
В	* SYSTEM CAVITY (128mm MIN 152mm MAX.)		
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)		
	PARTS LIST		
1	ENCLAD TM PORCELAIN TILE		
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE		
3	ENCLAD EN01 ALUMINIUM STRONG BACK PROFILE		
4	ENCLAD EN01 ALUMINIUM CHANNEL PROFILE		
5	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)		
6	ENCLAD FIXING FOR CHANNEL PROFILE (STAINLESS STEEL)		
7	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)		
8	ENCLAD THERMAL ISOLATION PAD		
9	ENCLAD ALUMINIUM FLASHING		
10	ENCLAD ALUMINIUM BRACKET		
11	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)		
12	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)		
13	WALL INSULATION (BY OTHERS)		
14	PLASTER BOARD (BY OTHERS)		

Cladding Type:

ENCLAD™ PORCELAIN TILES

Support System:

ENCLAD™ EN05-FF - HOOK ON SECRET FIXED

Detail Description:

PARAPET FLASHING DETAIL (SECTION VIEW)

Scale @ A3 : 1:2	Rev.: NOV 2022
System #:	Detail # :

ENCLAD™ RAINSCREEN SYSTEMS





PORC-EN05-FF-HOE-SF6

101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND

11

P: +64 9 307 1529 www.insitefacades.co.nz





PARAPET FLASHING DETAIL
ENCLADTM PORCELAIN TILES







COPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURRING DETAILS SATIETS VALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARDS. FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REGULATIONS. EFERT OF INSITE WESSIFE FOR FULL TERMS AND CONDITIONS.

	LEGEND
А	ENCLAD™ PORCELAIN TILES
В	* SYSTEM CAVITY (128mm MIN 152mm MAX.)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)
	PARTS LIST
1	ENCLAD™ PORCELAIN TILE
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN01 ALUMINIUM STRONG BACK PROFILE
4	ENCLAD EN01 ALUMINIUM CHANNEL PROFILE
5	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)
6	ENCLAD ALUMINIUM FLASHING
7	ENCLAD FIXING FOR CHANNEL PROFILE (STAINLESS STEEL)
8	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
9	ENCLAD THERMAL ISOLATION PAD
10	ENCLAD ALUMINIUM SUPPORT PROFILE
11	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
12	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
13	ALUMINIUM DOORS, WINDOWS & REVEALS (OPTION BY INSITE)
14	WALL INSULATION (BY OTHERS)
15	PLASTER BOARD (BY OTHERS)

Cladding Type:

ENCLAD™ PORCELAIN TILES

Support System:

ENCLAD™ EN05-FF - HOOK ON SECRET FIXED

Detail Description:

WINDOW HEAD DETAIL (SECTION VIEW)

 Scale @ A3 : 1:2
 Rev. : NOV 2022

 System # :
 Detail # :

PORC-EN05-FF-HOE-SF6

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND

12







PYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN INSITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RENSURING DETAILS SATISTY ALL INEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RENSURING BUILDING WAPPS, BIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NEZIC REQUIATIONS. REFER TO INSITE WESTER FOR PULL TERMS AND CONDITIONS.

LEGEND		
А	ENCLAD TM PORCELAIN TILES	
В	* SYSTEM CAVITY (128mm MIN 152mm MAX.)	
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)	
·	PARTS LIST	
1	ENCLAD TM PORCELAIN TILE	
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE	
3	ENCLAD EN01 ALUMINIUM STRONG BACK PROFILE	
4	ENCLAD EN01 ALUMINIUM CHANNEL PROFILE	
5	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)	
6	ENCLAD ALUMINIUM FLASHING	
7	ENCLAD FIXING FOR CHANNEL PROFILE (STAINLESS STEEL)	
8	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)	
9	ENCLAD THERMAL ISOLATION PAD	
10	ENCLAD ALUMINIUM SUPPORT PROFILE	
11	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)	
12	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)	
13	ALUMINIUM DOORS, WINDOWS & REVEALS (OPTION BY INSITE)	
14	WALL INSULATION (BY OTHERS)	
15	PLASTER BOARD (BY OTHERS)	

Cladding Type:

ENCLAD™ PORCELAIN TILES

Support System:

ENCLAD™ EN05-FF - HOOK ON SECRET FIXED

Detail Description:

DOOR HEAD DETAIL (SECTION VIEW)

 Scale @ A3 : 1:2
 Rev. : NOV 2022

 System # :
 Detail # :

 PORC-EN05-FF-HOE-SF6
 13

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND







PYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN INSITE FACADES I TD

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURING DETAILS SATISTY ALL NEW ZEALAND BUILDING CODE CALUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARPS, FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REQUIATIONS. FERET OF INSITE WESSIFE FOR FULL TERMS AND CONDITIONS.

	LEGEND
А	ENCLAD [™] PORCELAIN TILES
В	* SYSTEM CAVITY (128mm MIN 152mm MAX.)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)
	PARTS LIST
1	ENCLAD TM PORCELAIN TILE
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN01 ALUMINIUM STRONG BACK PROFILE
4	ENCLAD EN01 ALUMINIUM CHANNEL PROFILE
5	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)
6	ENCLAD FIXING FOR CHANNEL PROFILE (STAINLESS STEEL)
7	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
8	ENCLAD THERMAL ISOLATION PAD
9	ENCLAD ALUMINIUM FLASHING
10	ENCLAD ALUMINIUM SUPPORT ANGLE
11	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)
12	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)
13	ALUMINIUM DOORS, WINDOWS & REVEALS (OPTION BY INSITE)
14	WALL INSULATION (BY OTHERS)
15	PLASTER BOARD (BY OTHERS)
-	

Cladding Type:

ENCLAD™ PORCELAIN TILES

Support System:

ENCLAD™ EN05-FF - HOOK ON SECRET FIXED

Detail Description:

WINDOW SILL DETAIL (SECTION VIEW)

 Scale @ A3 : 1:2
 Rev. : NOV 2022


 System # :
 Detail # :

 PORC-EN05-FF-HOE-SF6
 14

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND









PYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN INSITE FACADES LTD.

DISCLAIMER: THESE DETAILS ARE PROVIDED FOR INDICATIVE PURPOSES ONLY. CONSTRUCTION/SYSTEM DETAILS CAN VARY DEPENDING ON PROJECT SPECIFIC SPECIFICATION AND ENGINEERING REQUIREMENTS. THE DESIGNER IS RESPONSIBLE FOR RESURRING DETAILS SATIETS VALL NEW ZEALAND BUILDING CODE CLAUSES. THE DESIGNER IS RESPONSIBLE FOR RESURING BUILDING WARDS. FIRESTOPS AND INSULATION/SPECIFICATION COMPLY WITH MANUFACTURERS RECOMMENDATIONS AND NAZE REGULATIONS. EFERT OF INSITE WESSIFE FOR FULL TERMS AND CONDITIONS.

LEGEND		
А	ENCLAD TM PORCELAIN TILES	
В	* SYSTEM CAVITY (128mm MIN 152mm MAX.)	
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)	
•	PARTS LIST	
1	ENCLAD [™] PORCELAIN TILE	
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE	
3	ENCLAD EN01 ALUMINIUM STRONG BACK PROFILE	
4	ENCLAD EN01 ALUMINIUM CHANNEL PROFILE	
5	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)	
6	ENCLAD ALUMINIUM FLASHING	
7	ENCLAD FIXING FOR CHANNEL PROFILE (STAINLESS STEEL)	
8	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)	
9	ENCLAD THERMAL ISOLATION PAD	
10	ENCLAD ALUMINIUM SUPPORT PROFILE	
11	BUILDING WRAP / MEMBRANE (OPTION BY INSITE)	
12	RIGID AIR BARRIER / SHEATHING BOARD (OPTION BY INSITE)	
14	WALL INSULATION (BY OTHERS)	
15	PLASTER BOARD (BY OTHERS)	

Cladding Type:

ENCLAD™ PORCELAIN TILES

Support System:

ENCLAD™ EN05-FF - HOOK ON SECRET FIXED

Detail Description:


BRICKWALL AT BASE DRIP DETAIL (SECTION VIEW)

Scale @ A3 : 1:2	Rev.: NOV 2022
System #:	Detail # :
PORC-EN05-FF-HOE-SF6	15

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND









COPYRIGHT: THESE DESIGNS, DETAILS AND/OR SPECIFICATIONS AND THE COPYRIGHT THEREIN, REMAIN THE PROPERTY OF INSITE FACADES LTD.

LEGEND

ELGLIND	
А	ENCLAD TM PORCELAIN TILES
В	* SYSTEM CAVITY (128mm MIN 152mm MAX.)
*	OTHER OPTIONS AVAILABLE (PROJECT SPECIFIC)
	PARTS LIST
1	ENCLAD TM PORCELAIN TILE
2	ENCLAD EN01 ALUMINIUM SUPPORT PROFILE
3	ENCLAD EN01 ALUMINIUM STRONG BACK PROFILE
4	ENCLAD EN01 ALUMINIUM CHANNEL PROFILE
5	ENCLAD FIXING FOR HOOK (STAINLESS STEEL)
6	ENCLAD GASKET
7	ENCLAD FIXING FOR CHANNEL PROFILE (STAINLESS STEEL)
8	ENCLAD HOST STRUCTURAL FIXING (STAINLESS STEEL)
9	ENCLAD THERMAL ISOLATION PAD
10	PFC (BY OTHERS)

Cladding Type:

ENCLAD™ PORCELAIN TILES

Support System:

ENCLAD™ EN05-FF - HOOK ON SECRET FIXED

Detail Description:

FLOOR TO FLOOR JOINT DETAIL (SECTION VIEW)

 Scale @ A3 : 1:8
 Rev. : NOV 2022

 System # :
 Detail # :

 PORC-EN05-FF-HOE-SF6
 16

ENCLAD™ RAINSCREEN SYSTEMS



101 STATION ROAD, PENROSE, AUCKLAND 1061 NEW ZEALAND